


Ward Health Profile 2014: Arleston

Overview

- The health of people who live in Arleston Ward is generally worse than the average for Telford & Wrekin and England as a whole. The chart below summarises how Arleston compares with England in 52 Public Health England Local Health Indicators.




(see page 4 for full list of indicators)

- The proportion of people aged under 16 in the ward is higher than the average for Telford & Wrekin and for England.
- Life expectancy for men is similar to the average for Telford & Wrekin and England. For women it is better than the borough and England average.
- Arleston is ranked among the most deprived wards in the borough. Levels of deprivation in the ward are significantly worse than the average for England. More than one fifth of people in the ward live in income deprived households, 3 in 10 children under 16 years live in poverty and almost one quarter of older people are in deprivation.
- Emergency hospital admission rates from all causes and from coronary heart disease (CHD) are significantly worse than the borough and national average. The admission rate from all causes is the fifth worst in the borough and is the fourth worst in the borough for CHD.




© Crown copyright. All rights reserved. Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

Population age profile



Life expectancy




Starting Well

Pregnancy and Maternity

● The proportion of mothers smoking at time of delivery (20.3%) and breastfeeding at birth (66.7%) is better than the borough but worse than the England average.

● The proportion of low birth weight babies in Arleston (10.7%) is worse than the borough and the England average.


The proportion of mothers breastfeeding at 6-8 weeks (33.3%) is similar to the borough but significantly worse than the England average.



Childhood obesity

● Childhood obesity levels are worse than the borough and England average.

The level of Year 6 obesity (31.7%) is the worst in the borough.




Living Well

Adult lifestyle

● The level of adult binge drinking (15.2%) is estimated to be better than the borough and the England average.

● Adult obesity (24.8%) and healthy eating (25.3%) levels are estimated to be better than the borough but worse than the England average.



Smoking cessation


● The successful quit rate for adult smokers engaged in the stop smoking programme in the 12 months from September 2013 (47%) is worse than the borough average (56%).

**24 quitters
(47%)**



Health and Care

- The proportion of people reporting bad or very bad health (5.9%), long term illnesses or disability (18.5%) and providing unpaid care for one or more hours per week (10.2%) is similar to the borough and England average.
- The proportion of people providing 50 hours or more unpaid care per week (3.2%) is worse than the borough and England average.




Early deaths


- The ratio of deaths among people in Arleston aged under 75 from circulatory disease is better than the borough and England average.
- The ratio of early deaths is similar to the borough average and statistically similar to the England average for:
 - deaths from all causes
 - deaths from all cancers
 - deaths from heart disease

The ratio of early deaths from circulatory disease (68.9) is the fifth best in the borough.

Arleston is ranked in the second worst fifth of wards in England for early deaths from all causes. The ratio of early deaths in Arleston (111.4) is similar to the average for Telford & Wrekin of 111.6, and compares with the best ward ratio in the borough of 60.9 and the England average of 100.




Deaths from all causes, under 75 years, standardised mortality ratio, 2008-2012



© Crown copyright. All rights reserved.
Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

Spine chart of indicators

The chart below shows how Arleston compares with rest of England's Wards across 52 national ward level public health indicators.*



	Indicator	Ward Value	England Value	England Lowest	England Range	England Highest
Our Community	1 Income Deprivation % - 2010	22.2	14.7	49.8		1.1
	2 Low Birth Weight Births (%) - 2008-2012	10.7	7.4	13.8		1.4
	3 Child Poverty (%) - 2010	31.5	21.8	79.8		1
	4 Child Development at age 5 (%) - 2011/12	19.1	63.5	19.1		95
	5 GCSE Achievement (5A*-C inc. Eng & Maths) (%) - 2011/12	50.6	58.8	21		100
	6 Unemployment (%) - 2012/13	5.2	3.8	16.7		0.3
	7 Long Term Unemployment (Rate/1,000 working age population) - 2012/13	11.7	10.1	68.2		0
	8 General Health - bad or very bad (%) - 2011	5.9	5.5	16.7		0
	9 General Health - very bad (%) - 2011	1.3	1.2	4.3		0
	10 Limiting long term illness or disability (%) - 2011	18.5	17.6	41.5		2.2
	11 Households with central heating (%) - 2011	97.7	97.3	44.1		100
	12 Overcrowding (%) - 2011	8.1	8.7	47.7		0.2
	13 Provision of 1 hour or more unpaid care per week (%) - 2011	10.2	10.2	17.6		1.7
	14 Provision of 50 hours or more unpaid care per week (%) - 2011	3.2	2.4	7.9		0
	15 Pensioners living alone (%) - 2011	26.9	31.5	63.3		11.4
	16 Older People in Deprivation (%) - 2010	23.9	18.1	82.1		2.1
Health & Lifestyle	17 Obese Children (Reception Year) (%) - 2010/11-2012/13	12.9	9.4	23.6		2.1
	18 Children with excess weight (Reception Year) (%) - 2010/11-2012/13	26.5	22.5	45.5		6
	19 Obese Children (Year 6) (%) - 2010/11-2012/13	31.7	19.1	36		4
	20 Children with excess weight (Year 6) (%) - 2010/11-2012/13	51.2	33.5	54.1		10
	21 Children's and young people's admissions for injury rate - 2008/9-2012/13	1319.5	1180.9	2647.8		412.7
	22 Obese adults (%) modelled estimate - 2006-2008	24.8	24.1	34.8		5.9
	23 Binge drinking adults (%) modelled estimate - 2006-2008	15.2	20	56.4		3.3
	24 Healthy eating adults (%) modelled estimate - 2006-2008	25.3	28.7	12.3		54.1
Disease & Poor Health	25 Emergency hospital admissions for all causes (SAR) - 2008/9-2012/13	117.4	100	224.9		27.2
	26 Emergency hospital admissions for CHD (SAR) - 2008/9-2012/13	137.5	100	425.3		27
	27 Emergency hospital admissions for stroke (SAR) - 2008/9-2012/13	142.8	100	257.7		28.4
	28 Emergency hospital admissions for heart attack (SAR) - 2008/9-2012/13	146.1	100	324.3		20.6
	29 Emergency hospital admissions for COPD (SAR) - 2008/9-2012/13	122.4	100	660.1		10.7
	30 Incidence of all cancer (SIR) - 2007-2011	103.7	100	146.6		47.8
	31 Incidence of breast cancer (SIR) - 2007-2011	83.9	100	180.1		43
	32 Incidence of colorectal cancer (SIR) - 2007-2011	108.1	100	200.1		33
	33 Incidence of lung cancer (SIR) - 2007-2011	115.6	100	302		23.4
	34 Incidence of prostate cancer (SIR) - 2007-2011	93.4	100	216.8		23.6
Life Expectancy & Causes of Death	35 Hospital stays for self harm (SAR) - 2008/9-2012/13	98.2	100	464.3		12.3
	36 Hospital stays for alcohol related harm (SAR) - 2008/9-2012/13	104.6	100	296.2		37.2
	37 Emergency hospital admissions for hip fracture in 65+ (SAR) - 2008/9-2012/13	57.1	100	218.2		31.8
	38 Elective hospital admissions for hip replacement (SAR) - 2008/9-2012/13	68.3	100	218.4		16.9
	39 Elective hospital admissions for knee replacement (SAR) - 2008/9-2012/13	102.9	100	215.3		21.4
	40 Life expectancy at birth for males (years) - 2008-2012	77.7	78.9	67.1		91.3
	41 Life expectancy at birth for females (years) - 2008-2012	85.6	82.8	73.9		98.4
	42 Deaths from all causes, all ages (SMR) 2008-2012	93	100	279.2		19.9
	43 Deaths from all causes, under 65 years (SMR) 2008-2012	107.4	100	320.9		0
	44 Deaths from all causes, under 75 years (SMR) 2008-2012	111.4	100	286.1		0
	45 Deaths from all cancer, all ages (SMR) 2008-2012	105	100	234.6		0
	46 Deaths from all cancer, under 75 years (SMR) 2008-2012	126.9	100	274.5		0
	47 Deaths from circulatory disease, all ages (SMR) 2008-2012	88.7	100	279.2		0
	48 Deaths from circulatory disease, under 75 years (SMR) 2008-2012	68.9	100	319.1		0
	49 Deaths from coronary heart disease, all ages (SMR) 2008-2012	113	100	596.2		0
	50 Deaths from coronary heart disease, under 75 years (SMR) 2008-2012	107.3	100	569.8		0
	51 Deaths from stroke, all ages (SMR) 2008-2012	107.3	100	711.9		0
	52 Deaths from respiratory diseases, all ages (SMR) 2008-2012	115.3	100	373.2		0

* Indicators show the latest comparable ward data published on Public Health England's Local Health website <http://www.localhealth.org.uk>, produced from ONS data © Crown Copyright 2014. For the latest information for Telford & Wrekin please visit www.telford.gov.uk/factsandfigures

Disclaimer: Telford & Wrekin Council, while believing the information in this profile to be correct, does not guarantee its accuracy nor does the Council accept any liability for any direct or indirect loss or damage or other consequences, however arising from the use of such information supplied.