


Ward Health Profile 2014: Donnington

Overview

• The health of people who live in Donnington Ward is generally significantly worse compared to the average for Telford & Wrekin and England as a whole. The chart below summarises how Donnington compares with England in 52 Public Health England Local Health Indicators.



• The proportion of people aged under 16 in the ward is higher than the average for Telford & Wrekin and for England.

• Life expectancy for men and women is worse than the average for Telford & Wrekin. For men, it is significantly worse than the average for England.


• Donnington is one of the most deprived wards in the borough. Levels of deprivation in the ward are significantly worse than the average for England, with part of the ward ranked in the 10% of most deprived areas in England. One quarter of people in the ward live in income deprived households, and more than one third of children under 16 years live in poverty.

• Emergency hospital admission rates for coronary heart disease, stroke, heart attack and chronic obstructive pulmonary disease are all significantly worse than the average for England. Emergency admission rates for all causes are the fourth worst in the borough.




© Crown copyright. All rights reserved. Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

Population age profile



Life expectancy




Starting Well

Pregnancy and Maternity

- The proportion of low birth weight babies in Donnington (7.2%) is better than the borough and similar to the England average.


Breastfeeding at 6-8 weeks (34.3%) is better than the borough average but worse than the England average.

- Smoking at time of delivery (23.6%) and breastfeeding at birth (57.5%) is worse than the borough and England average.



Childhood obesity

- The level of obesity in reception year (16.3%) and year 6 (23.2%) children is worse than the borough and England average.




Living Well

Adult lifestyle

- The level of adult binge drinking (19.0%) is estimated to be similar to the borough and the England average.

- The level of adult obesity (29.9%) and healthy eating (18.3%) in Donnington is estimated to be worse than the borough and England average.



Smoking cessation

- The successful quit rate for adult smokers engaged in the stop smoking programme in the 12 months since September 2013 (61%) is better than the borough average (56%).


**54 quitters
(61%)**



Health and Care

● The proportion of people reporting bad or very bad health (9.1%) and long term illnesses or disability (23.6%) is worse than the borough and England average.

The proportion of people who provide 1 hour or more (11.3%) and 50 hours (4.3%) or more unpaid care per week is worse than the average for the borough and England




Early deaths

● The ratio of deaths among people aged under 75 in Donnington is worse than the borough average and significantly worse than the England average for:


- deaths from all causes
- deaths from all cancers
- deaths from circulatory disease
- deaths from heart disease

Donnington is ranked in the fifth of wards in England with the worst ratio of early deaths from all causes. The ratio of early mortality from all causes in the ward (155.6) is the worst in the borough. This compares with the average early mortality ratio for Telford & Wrekin of 111.6, the best ward ratio in the borough of 60.9 and the England average of 100.

The ward also has the worst ratio of early deaths from circulatory disease in the borough and the third worst ratio for early deaths from cancer and coronary heart disease.




Deaths from all causes, under 75 years, standardised mortality ratio, 2008-2012



© Crown copyright. All rights reserved.
Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

Spine chart of indicators

The chart below shows how Donnington compares with rest of England's Wards across 52 national ward level public health indicators.*



	Indicator	Ward Value	England Value	England Lowest	England Range	England Highest
Our Community	1 Income Deprivation % - 2010	24.5	14.7	49.8		1.1
	2 Low Birth Weight Births (%) - 2008-2012	7.2	7.4	13.8		1.4
	3 Child Poverty (%) - 2010	35.7	21.8	79.8		1
	4 Child Development at age 5 (%) - 2011/12	52.5	63.5	19.1		95
	5 GCSE Achievement (5A*-C inc. Eng & Maths) (%) - 2011/12	50	58.8	21		100
	6 Unemployment (%) - 2012/13	5.4	3.8	16.7		0.3
	7 Long Term Unemployment (Rate/1,000 working age population) - 2012/13	15.9	10.1	68.2		0
	8 General Health - bad or very bad (%) - 2011	9.1	5.5	16.7		0
	9 General Health - very bad (%) - 2011	2.3	1.2	4.3		0
	10 Limiting long term illness or disability (%) - 2011	23.6	17.6	41.5		2.2
	11 Households with central heating (%) - 2011	97.5	97.3	44.1		100
	12 Overcrowding (%) - 2011	4.9	8.7	47.7		0.2
	13 Provision of 1 hour or more unpaid care per week (%) - 2011	11.3	10.2	17.6		1.7
	14 Provision of 50 hours or more unpaid care per week (%) - 2011	4.3	2.4	7.9		0
	15 Pensioners living alone (%) - 2011	31.6	31.5	63.3		11.4
	16 Older People in Deprivation (%) - 2010	28.3	18.1	82.1		2.1
Health & Lifestyle	17 Obese Children (Reception Year) (%) - 2010/11-2012/13	16.3	9.4	23.6		2.1
	18 Children with excess weight (Reception Year) (%) - 2010/11-2012/13	32.7	22.5	45.5		6
	19 Obese Children (Year 6) (%) - 2010/11-2012/13	23.2	19.1	36		4
	20 Children with excess weight (Year 6) (%) - 2010/11-2012/13	39.1	33.5	54.1		10
	21 Children's and young people's admissions for injury rate - 2008/9-2012/13	1267.9	1180.9	2647.8		412.7
	22 Obese adults (%) modelled estimate - 2006-2008	29.9	24.1	34.8		5.9
	23 Binge drinking adults (%) modelled estimate - 2006-2008	19	20	56.4		3.3
	24 Healthy eating adults (%) modelled estimate - 2006-2008	18.3	28.7	12.3		54.1
Disease & Poor Health	25 Emergency hospital admissions for all causes (SAR) - 2008/9-2012/13	117.5	100	224.9		27.2
	26 Emergency hospital admissions for CHD (SAR) - 2008/9-2012/13	126.4	100	425.3		27
	27 Emergency hospital admissions for stroke (SAR) - 2008/9-2012/13	141.1	100	257.7		28.4
	28 Emergency hospital admissions for heart attack (SAR) - 2008/9-2012/13	143.4	100	324.3		20.6
	29 Emergency hospital admissions for COPD (SAR) - 2008/9-2012/13	138.3	100	660.1		10.7
	30 Incidence of all cancer (SIR) - 2007-2011	106.2	100	146.6		47.8
	31 Incidence of breast cancer (SIR) - 2007-2011	143.8	100	180.1		43
	32 Incidence of colorectal cancer (SIR) - 2007-2011	87	100	200.1		33
	33 Incidence of lung cancer (SIR) - 2007-2011	137.6	100	302		23.4
	34 Incidence of prostate cancer (SIR) - 2007-2011	67.3	100	216.8		23.6
	35 Hospital stays for self harm (SAR) - 2008/9-2012/13	122.9	100	464.3		12.3
	36 Hospital stays for alcohol related harm (SAR) - 2008/9-2012/13	104.7	100	296.2		37.2
	37 Emergency hospital admissions for hip fracture in 65+ (SAR) - 2008/9-2012/13	118.8	100	218.2		31.8
	38 Elective hospital admissions for hip replacement (SAR) - 2008/9-2012/13	76	100	218.4		16.9
	39 Elective hospital admissions for knee replacement (SAR) - 2008/9-2012/13	140.6	100	215.3		21.4
Life Expectancy & Causes of Death	40 Life expectancy at birth for males (years) - 2008-2012	75	78.9	67.1		91.3
	41 Life expectancy at birth for females (years) - 2008-2012	81.3	82.8	73.9		98.4
	42 Deaths from all causes, all ages (SMR) 2008-2012	118.5	100	279.2		19.9
	43 Deaths from all causes, under 65 years (SMR) 2008-2012	143.5	100	320.9		0
	44 Deaths from all causes, under 75 years (SMR) 2008-2012	155.6	100	286.1		0
	45 Deaths from all cancer, all ages (SMR) 2008-2012	116.7	100	234.6		0
	46 Deaths from all cancer, under 75 years (SMR) 2008-2012	145.9	100	274.5		0
	47 Deaths from circulatory disease, all ages (SMR) 2008-2012	121.4	100	279.2		0
	48 Deaths from circulatory disease, under 75 years (SMR) 2008-2012	191.3	100	319.1		0
	49 Deaths from coronary heart disease, all ages (SMR) 2008-2012	143	100	596.2		0
	50 Deaths from coronary heart disease, under 75 years (SMR) 2008-2012	187.6	100	569.8		0
	51 Deaths from stroke, all ages (SMR) 2008-2012	87	100	711.9		0
	52 Deaths from respiratory diseases, all ages (SMR) 2008-2012	128	100	373.2		0

* Indicators show the latest comparable ward data published on Public Health England's Local Health website <http://www.localhealth.org.uk>, produced from ONS data © Crown Copyright 2014. For the latest information for Telford & Wrekin please visit www.telford.gov.uk/factsandfigures

Disclaimer: Telford & Wrekin Council, while believing the information in this profile to be correct, does not guarantee its accuracy nor does the Council accept any liability for any direct or indirect loss or damage or other consequences, however arising from the use of such information supplied.