


# Ward Health Profile 2014: Horsehay & Lightmoor

## Overview

• The health of people who live in Horsehay & Lightmoor Ward is generally similar to the average for Telford & Wrekin and England as a whole. The chart below summarises how Horsehay & Lightmoor compares with England in 52 Public Health England Local Health Indicators.




(see page 4 for full list of indicators)

- The proportion of people aged under 16 and 25-64 in the ward is higher than the average for Telford & Wrekin and for England.
- Life expectancy for men and women is worse than the borough average and significantly worse than the average for England.
- Horsehay & Lightmoor is ranked among the least deprived wards in the borough. Levels of deprivation in the ward are significantly better than the England average for income deprivation, the proportion of children under the age of 16 classed as living in poverty and for older people living in deprivation.
- The rate of emergency hospital admissions for all causes, stroke and chronic obstructive pulmonary disease is significantly worse than the England average. The admission rate for stroke is the third worst in the borough.
- The rate of emergency hospital admissions for people aged 65 and over is the joint worst rate in Telford & Wrekin.




© Crown copyright. All rights reserved. Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

## Population age profile



## Life expectancy




## Starting Well

### Pregnancy and Maternity

● The proportion of mothers smoking at time of delivery (11.8%) and breastfeeding their babies at birth (80.3%) is better than the borough and the England average.


The proportion of low birth weight babies (7.4%) is better than the borough average and similar to the England average.

● The proportion of mothers in Horsehay & Lightmoor breastfeeding at 6-8 weeks (43.8%) is better than the borough average but worse than the England average.



### Childhood obesity

● The level of obesity in reception year (6.6%) and year 6 children (14.1%) is better than the borough and England average.




## Living Well

### Adult lifestyle

● The proportion of adults who eat healthily (25.1%) is estimated to be similar to the borough average and worse than the England average.

● The level of adult binge drinking (20.9%) and obesity (27.0%) is estimated to be worse than the borough and England average.



### Smoking cessation

● The successful quit rate for adult smokers engaged in the stop smoking programme in the 12 months since September 2013 (59%) is better than the borough average (56%).


**16 quitters  
(59%)**



### Health and Care

The proportion of people reporting bad or very bad health (4.8%) and along term illnesses or disability (14.5%) is better than the borough and England average.

The proportion of people who provide unpaid care for 1 hour or more (9.6%) and 50 hours or more (2.2%) per week is better than the borough and England average.



### Early deaths

The ratio of deaths among people aged under 75 in Horsehay & Lightmoor is similar to the England average for deaths from all cancers.


The ratio is worse than the borough and England average for:

- deaths from all causes
- deaths from circulatory disease
- deaths from heart disease


Horsehay & Lightmoor is ranked in the worst fifth of wards in England for early deaths from all causes.

The ratio of early deaths from all causes in the ward (135.2) is the fourth worst in the borough and compares with the borough average of 111.6 and the best ward ratio of 60.9.

The ward also has the fourth worst ratio in Telford & Wrekin of early deaths from coronary heart disease (176.5).




Deaths from all causes, under 75 years, standardised mortality ratio, 2008-2012



© Crown copyright. All rights reserved. Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

# Spine chart of indicators

The chart below shows how Horsehay & Lightmoor compares with rest of England's Wards across 52 national ward level public health indicators.\*



	Indicator	Ward Value	England Value	England Lowest	England Range	England Highest
Our Community	1 Income Deprivation % - 2010	12.1	14.7	49.8		1.1
	2 Low Birth Weight Births (%) - 2008-2012	7.4	7.4	13.8		1.4
	3 Child Poverty (%) - 2010	17.1	21.8	79.8		1
	4 Child Development at age 5 (%) - 2011/12	68.9	63.5	19.1		95
	5 GCSE Achievement (5A*-C inc. Eng & Maths) (%) - 2011/12	64.5	58.8	21		100
	6 Unemployment (%) - 2012/13	3.2	3.8	16.7		0.3
	7 Long Term Unemployment (Rate/1,000 working age population) - 2012/13	6.6	10.1	68.2		0
	8 General Health - bad or very bad (%) - 2011	4.8	5.5	16.7		0
	9 General Health - very bad (%) - 2011	1.2	1.2	4.3		0
	10 Limiting long term illness or disability (%) - 2011	14.5	17.6	41.5		2.2
	11 Households with central heating (%) - 2011	98.7	97.3	44.1		100
	12 Overcrowding (%) - 2011	2.2	8.7	47.7		0.2
	13 Provision of 1 hour or more unpaid care per week (%) - 2011	9.6	10.2	17.6		1.7
	14 Provision of 50 hours or more unpaid care per week (%) - 2011	2.2	2.4	7.9		0
	15 Pensioners living alone (%) - 2011	15.6	31.5	63.3		11.4
	16 Older People in Deprivation (%) - 2010	20.4	18.1	82.1		2.1
Health & Lifestyle	17 Obese Children (Reception Year) (%) - 2010/11-2012/13	6.6	9.4	23.6		2.1
	18 Children with excess weight (Reception Year) (%) - 2010/11-2012/13	13.9	22.5	45.5		6
	19 Obese Children (Year 6) (%) - 2010/11-2012/13	14.1	19.1	36		4
	20 Children with excess weight (Year 6) (%) - 2010/11-2012/13	26.8	33.5	54.1		10
	21 Children's and young people's admissions for injury rate - 2008/9-2012/13	1136.1	1180.9	2647.8		412.7
	22 Obese adults (%) modelled estimate - 2006-2008	27	24.1	34.8		5.9
	23 Binge drinking adults (%) modelled estimate - 2006-2008	20.9	20	56.4		3.3
	24 Healthy eating adults (%) modelled estimate - 2006-2008	25.1	28.7	12.3		54.1
Disease & Poor Health	25 Emergency hospital admissions for all causes (SAR) - 2008/9-2012/13	105.5	100	224.9		27.2
	26 Emergency hospital admissions for CHD (SAR) - 2008/9-2012/13	78.6	100	425.3		27
	27 Emergency hospital admissions for stroke (SAR) - 2008/9-2012/13	168.7	100	257.7		28.4
	28 Emergency hospital admissions for heart attack (SAR) - 2008/9-2012/13	95.4	100	324.3		20.6
	29 Emergency hospital admissions for COPD (SAR) - 2008/9-2012/13	164.2	100	660.1		10.7
	30 Incidence of all cancer (SIR) - 2007-2011	107.7	100	146.6		47.8
	31 Incidence of breast cancer (SIR) - 2007-2011	108.1	100	180.1		43
	32 Incidence of colorectal cancer (SIR) - 2007-2011	113.6	100	200.1		33
	33 Incidence of lung cancer (SIR) - 2007-2011	125.1	100	302		23.4
	34 Incidence of prostate cancer (SIR) - 2007-2011	96.3	100	216.8		23.6
	35 Hospital stays for self harm (SAR) - 2008/9-2012/13	91.3	100	464.3		12.3
	36 Hospital stays for alcohol related harm (SAR) - 2008/9-2012/13	85.6	100	296.2		37.2
	37 Emergency hospital admissions for hip fracture in 65+ (SAR) - 2008/9-2012/13	166.3	100	218.2		31.8
	38 Elective hospital admissions for hip replacement (SAR) - 2008/9-2012/13	127.7	100	218.4		16.9
	39 Elective hospital admissions for knee replacement (SAR) - 2008/9-2012/13	141.3	100	215.3		21.4
Life Expectancy & Causes of Death	40 Life expectancy at birth for males (years) - 2008-2012	74	78.9	67.1		91.3
	41 Life expectancy at birth for females (years) - 2008-2012	76.1	82.8	73.9		98.4
	42 Deaths from all causes, all ages (SMR) 2008-2012	222.8	100	279.2		19.9
	43 Deaths from all causes, under 65 years (SMR) 2008-2012	104.4	100	320.9		0
	44 Deaths from all causes, under 75 years (SMR) 2008-2012	135.2	100	286.1		0
	45 Deaths from all cancer, all ages (SMR) 2008-2012	111.5	100	234.6		0
	46 Deaths from all cancer, under 75 years (SMR) 2008-2012	102.9	100	274.5		0
	47 Deaths from circulatory disease, all ages (SMR) 2008-2012	225.2	100	279.2		0
	48 Deaths from circulatory disease, under 75 years (SMR) 2008-2012	158.2	100	319.1		0
	49 Deaths from coronary heart disease, all ages (SMR) 2008-2012	142.3	100	596.2		0
	50 Deaths from coronary heart disease, under 75 years (SMR) 2008-2012	176.5	100	569.8		0
	51 Deaths from stroke, all ages (SMR) 2008-2012	435.7	100	711.9		0
	52 Deaths from respiratory diseases, all ages (SMR) 2008-2012	131.3	100	373.2		0

\* Indicators show the latest comparable ward data published on Public Health England's Local Health website <http://www.localhealth.org.uk>, produced from ONS data © Crown Copyright 2014. For the latest information for Telford & Wrekin please visit [www.telford.gov.uk/factsandfigures](http://www.telford.gov.uk/factsandfigures)

**Disclaimer:** Telford & Wrekin Council, while believing the information in this profile to be correct, does not guarantee its accuracy nor does the Council accept any liability for any direct or indirect loss or damage or other consequences, however arising from the use of such information supplied.