


Ward Health Profile 2014: Lawley & Overdale

Overview

• The health of people who live in Lawley & Overdale Ward is generally better than the average for Telford & Wrekin and England as a whole. The chart below summarises how Lawley & Overdale compares with England in 52 Public Health England Local Health Indicators.



(see page 4 for full list of indicators)

• The proportion of people aged under 16 and 25-64 in the ward is higher than the average for Telford & Wrekin and for England. The proportion of people aged 65-84 and 85 plus is substantially less than the borough and England average.

• Life expectancy for men and women is better than the borough and England average.

• The level of deprivation in Lawley & Overdale is better than the borough average and is significantly better than the England average for income deprivation and child poverty.


• The rate of emergency hospital admissions for all causes, stroke and chronic obstructive pulmonary disease is worse than the England average. The admission rate for stroke is the fourth worst in the borough.

• The rate of hospital stays for alcohol related harm is significantly better than the England average.




© Crown copyright. All rights reserved. Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

Population age profile




Life expectancy



Starting Well


Pregnancy and Maternity

- The proportion of low birth weight babies in Lawley & Overdale (7.4%) is better than the borough average and similar to the England average.
- The proportion of mothers smoking at time of delivery (13.7%), breastfeeding at birth (65.8%) and breastfeeding at 6-8 weeks (36.2%) is better than the borough average but worse than the England average.



Childhood obesity


- The level of obesity in reception year children (8.6%) is better than the borough and England average.
- The proportion of obese year 6 children (19.6%) is similar to the borough and England average.



Living Well

Adult lifestyle

- The proportion of healthy eating adults (25.1%) is estimated to be similar to the borough and worse than the England average.
- The proportion of adults who binge drink (20.9%) and the level of adult obesity (27.0%) is estimated to be worse than the borough and England average.



Smoking cessation


- The successful quit rate for adult smokers engaged in the stop smoking programme in the 12 months since September 2013 (47%) is worse than the borough average (56%).

**23 quitters
(47%)**




Health and Care

- The proportion of people reporting bad or very bad health (4.7%), long term illnesses or disability (12.8%) and providing 1 hour or more unpaid care per week (8.9%) is better than the average for the borough and England.
- The proportion of people who provide 50 hours or more unpaid care per week (2.7%) is better than the borough but worse than the England average



Early deaths


- The ratio of deaths among people aged under 75 in Lawley & Overdale is better than the borough average and similar to the England average for deaths from heart disease.
- The ratio is similar to the borough and the England average for deaths from all cancers and deaths from circulatory disease
- The ratio of deaths from all causes is worse than the borough and England average



Lawley & Overdale is ranked in worst fifth of wards in England for early deaths from all causes.

The ratio of early deaths from all causes in the ward (121.2) compares with the borough average of 111.6, the best ward ratio in Telford & Wrekin of 60.9 and the England average of 100. Lawley & Overdale has the eleventh worst ratio of the 33 wards in the borough for early deaths from all causes.


Deaths from all causes, under 75 years, standardised mortality ratio, 2008-2012



© Crown copyright. All rights reserved.
Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

Spine chart of indicators

The chart below shows how Lawley & Overdale compares with rest of England's Wards across 52 national ward level public health indicators.*



	Indicator	Ward Value	England Value	England Lowest	England Range	England Highest
Our Community	1 Income Deprivation % - 2010	12.1	14.7	49.8		1.1
	2 Low Birth Weight Births (%) - 2008-2012	7.4	7.4	13.8		1.4
	3 Child Poverty (%) - 2010	17.1	21.8	79.8		1
	4 Child Development at age 5 (%) - 2011/12	68.9	63.5	19.1		95
	5 GCSE Achievement (5A*-C inc. Eng & Maths) (%) - 2011/12	64.5	58.8	21		100
	6 Unemployment (%) - 2012/13	3.2	3.8	16.7		0.3
	7 Long Term Unemployment (Rate/1,000 working age population) - 2012/13	6.6	10.1	68.2		0
	8 General Health - bad or very bad (%) - 2011	4.7	5.5	16.7		0
	9 General Health - very bad (%) - 2011	1	1.2	4.3		0
	10 Limiting long term illness or disability (%) - 2011	12.8	17.6	41.5		2.2
	11 Households with central heating (%) - 2011	97.1	97.3	44.1		100
	12 Overcrowding (%) - 2011	6.5	8.7	47.7		0.2
	13 Provision of 1 hour or more unpaid care per week (%) - 2011	8.9	10.2	17.6		1.7
	14 Provision of 50 hours or more unpaid care per week (%) - 2011	2.7	2.4	7.9		0
	15 Pensioners living alone (%) - 2011	30.4	31.5	63.3		11.4
	16 Older People in Deprivation (%) - 2010	20.4	18.1	82.1		2.1
Health & Lifestyle	17 Obese Children (Reception Year) (%) - 2010/11-2012/13	8.6	9.4	23.6		2.1
	18 Children with excess weight (Reception Year) (%) - 2010/11-2012/13	22.2	22.5	45.5		6
	19 Obese Children (Year 6) (%) - 2010/11-2012/13	19.6	19.1	36		4
	20 Children with excess weight (Year 6) (%) - 2010/11-2012/13	35.2	33.5	54.1		10
	21 Children's and young people's admissions for injury rate - 2008/9-2012/13	1136.1	1180.9	2647.8		412.7
	22 Obese adults (%) modelled estimate - 2006-2008	27	24.1	34.8		5.9
	23 Binge drinking adults (%) modelled estimate - 2006-2008	20.9	20	56.4		3.3
	24 Healthy eating adults (%) modelled estimate - 2006-2008	25.1	28.7	12.3		54.1
Disease & Poor Health	25 Emergency hospital admissions for all causes (SAR) - 2008/9-2012/13	105.5	100	224.9		27.2
	26 Emergency hospital admissions for CHD (SAR) - 2008/9-2012/13	78.6	100	425.3		27
	27 Emergency hospital admissions for stroke (SAR) - 2008/9-2012/13	168.7	100	257.7		28.4
	28 Emergency hospital admissions for heart attack (SAR) - 2008/9-2012/13	95.4	100	324.3		20.6
	29 Emergency hospital admissions for COPD (SAR) - 2008/9-2012/13	164.2	100	660.1		10.7
	30 Incidence of all cancer (SIR) - 2007-2011	107.7	100	146.6		47.8
	31 Incidence of breast cancer (SIR) - 2007-2011	108.1	100	180.1		43
	32 Incidence of colorectal cancer (SIR) - 2007-2011	113.6	100	200.1		33
	33 Incidence of lung cancer (SIR) - 2007-2011	125.1	100	302		23.4
	34 Incidence of prostate cancer (SIR) - 2007-2011	96.3	100	216.8		23.6
	35 Hospital stays for self harm (SAR) - 2008/9-2012/13	91.3	100	464.3		12.3
	36 Hospital stays for alcohol related harm (SAR) - 2008/9-2012/13	85.6	100	296.2		37.2
	37 Emergency hospital admissions for hip fracture in 65+ (SAR) - 2008/9-2012/13	166.3	100	218.2		31.8
	38 Elective hospital admissions for hip replacement (SAR) - 2008/9-2012/13	127.7	100	218.4		16.9
	39 Elective hospital admissions for knee replacement (SAR) - 2008/9-2012/13	141.3	100	215.3		21.4
Life Expectancy & Causes of Death	40 Life expectancy at birth for males (years) - 2008-2012	80.1	78.9	67.1		91.3
	41 Life expectancy at birth for females (years) - 2008-2012	83.5	82.8	73.9		98.4
	42 Deaths from all causes, all ages (SMR) 2008-2012	103.8	100	279.2		19.9
	43 Deaths from all causes, under 65 years (SMR) 2008-2012	124.9	100	320.9		0
	44 Deaths from all causes, under 75 years (SMR) 2008-2012	121.2	100	286.1		0
	45 Deaths from all cancer, all ages (SMR) 2008-2012	130.1	100	234.6		0
	46 Deaths from all cancer, under 75 years (SMR) 2008-2012	108.2	100	274.5		0
	47 Deaths from circulatory disease, all ages (SMR) 2008-2012	70.2	100	279.2		0
	48 Deaths from circulatory disease, under 75 years (SMR) 2008-2012	101.4	100	319.1		0
	49 Deaths from coronary heart disease, all ages (SMR) 2008-2012	56.9	100	596.2		0
	50 Deaths from coronary heart disease, under 75 years (SMR) 2008-2012	93.4	100	569.8		0
	51 Deaths from stroke, all ages (SMR) 2008-2012	129	100	711.9		0
	52 Deaths from respiratory diseases, all ages (SMR) 2008-2012	64.2	100	373.2		0

* Indicators show the latest comparable ward data published on Public Health England's Local Health website <http://www.localhealth.org.uk>, produced from ONS data © Crown Copyright 2014. For the latest information for Telford & Wrekin please visit www.telford.gov.uk/factsandfigures

Disclaimer: Telford & Wrekin Council, while believing the information in this profile to be correct, does not guarantee its accuracy nor does the Council accept any liability for any direct or indirect loss or damage or other consequences, however arising from the use of such information supplied.