


Ward Health Profile 2014: Malinslee

Overview

- The health of people who live in Malinslee Ward is generally worse than the average for Telford & Wrekin and England as a whole. The chart below summarises how Malinslee compares with England in 52 Public Health England Local Health Indicators.




(see page 4 for full list of indicators)

- The proportion of people aged under 16 in the ward is higher than the average for Telford & Wrekin and for England.
- Life expectancy for men is worse than the borough and England average. For women, it is similar to the borough and worse than the England average.
- Malinslee is one of the most deprived wards in the borough. Levels of deprivation in the ward are significantly worse than the average for England. One third of people in the ward live in income deprived households, and more than four in ten children under 16 years are classed as living in poverty.
- The rate of emergency hospital admissions is significantly worse than the England average for all causes, coronary heart disease, stroke, heart attack and chronic obstructive pulmonary disease.
- The rate of hospital stays for self harm and alcohol related harm is also significantly worse than the England average. The rate for alcohol related harm is the second worst in the borough.




© Crown copyright. All rights reserved. Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

Population age profile



Life expectancy




Starting Well

Pregnancy and Maternity


- The proportion of mothers smoking at the time of delivery (30.0%) and low birth weight babies (9.4%) is worse than the borough and England average.

The proportion of mothers in Malinslee breastfeeding at birth (52.0%) and at 6-8 weeks (25.5%) is worse than the borough and England average.



Childhood obesity


- The level of obesity in year 6 children (18.5%) is better than the borough and England average.
- Obesity in reception year children (10.1%) is similar to the borough and worse than the England average.



Living Well

Adult lifestyle

- The level of adult binge drinking (19.1%) is estimated to be similar to the borough and England average.
- The level of adult obesity (30.4%) and healthy eating (17.6%) is estimated to be worse than the borough and England average.



Smoking cessation

- The successful quit rate for adult smokers engaged in the stop smoking programme in the 12 months since September 2013 (60%) is better than the borough average (56%).


**53 quitters
(60%)**



Health and Care

- The proportion of people reporting bad or very bad health (8.7%) and long term illnesses or disability (22.3%) is worse than the average for the borough and England

The proportion of people in Malinslee who provide 1 hour or more 11.1%) and 50 hours or more (3.9%) unpaid care per week is worse than the average for the borough and England




Early deaths

- The ratio of deaths among people aged under 75 from all cancers in Malinslee is similar to the England average.
- The ratio is worse than the borough average and significantly worse than the England average for:
 - deaths from all causes
 - deaths from circulatory disease
 - deaths from heart disease


Malinslee is ranked in the worst fifth of wards in England for early deaths from all causes.

The ratio of early deaths from all causes in Malinslee (132.7) is the sixth worst in the borough and compares with the borough average of 111.6, the best ward ratio in Telford & Wrekin of 60.9 and the England average of 100.

The ratio of early deaths from circulatory disease (163.2) is the third worst in the borough.




Deaths from all causes, under 75 years, standardised mortality ratio, 2008-2012



© Crown copyright. All rights reserved.
Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

Spine chart of indicators

The chart below shows how Malinslee compares with rest of England's Wards across 52 national ward level public health indicators.*



| | Indicator | Ward Value | England Value | England Lowest | England Range | England Highest |
|-----------------------------------|---|------------|---------------|----------------|---------------|-----------------|
| Our Community | 1 Income Deprivation % - 2010 | 33.3 | 14.7 | 49.8 | | 1.1 |
| | 2 Low Birth Weight Births (%) - 2008-2012 | 9.4 | 7.4 | 13.8 | | 1.4 |
| | 3 Child Poverty (%) - 2010 | 45.3 | 21.8 | 79.8 | | 1 |
| | 4 Child Development at age 5 (%) - 2011/12 | 33.3 | 63.5 | 19.1 | | 95 |
| | 5 GCSE Achievement (5A*-C inc. Eng & Maths) (%) - 2011/12 | 38.5 | 58.8 | 21 | | 100 |
| | 6 Unemployment (%) - 2012/13 | 8.1 | 3.8 | 16.7 | | 0.3 |
| | 7 Long Term Unemployment (Rate/1,000 working age population) - 2012/13 | 24.9 | 10.1 | 68.2 | | 0 |
| | 8 General Health - bad or very bad (%) - 2011 | 8.7 | 5.5 | 16.7 | | 0 |
| | 9 General Health - very bad (%) - 2011 | 2 | 1.2 | 4.3 | | 0 |
| | 10 Limiting long term illness or disability (%) - 2011 | 22.3 | 17.6 | 41.5 | | 2.2 |
| | 11 Households with central heating (%) - 2011 | 98.8 | 97.3 | 44.1 | | 100 |
| | 12 Overcrowding (%) - 2011 | 7.2 | 8.7 | 47.7 | | 0.2 |
| | 13 Provision of 1 hour or more unpaid care per week (%) - 2011 | 11.1 | 10.2 | 17.6 | | 1.7 |
| | 14 Provision of 50 hours or more unpaid care per week (%) - 2011 | 3.9 | 2.4 | 7.9 | | 0 |
| | 15 Pensioners living alone (%) - 2011 | 34.1 | 31.5 | 63.3 | | 11.4 |
| | 16 Older People in Deprivation (%) - 2010 | 39 | 18.1 | 82.1 | | 2.1 |
| Health & Lifestyle | 17 Obese Children (Reception Year) (%) - 2010/11-2012/13 | 10.1 | 9.4 | 23.6 | | 2.1 |
| | 18 Children with excess weight (Reception Year) (%) - 2010/11-2012/13 | 27.3 | 22.5 | 45.5 | | 6 |
| | 19 Obese Children (Year 6) (%) - 2010/11-2012/13 | 18.5 | 19.1 | 36 | | 4 |
| | 20 Children with excess weight (Year 6) (%) - 2010/11-2012/13 | 37 | 33.5 | 54.1 | | 10 |
| | 21 Children's and young people's admissions for injury rate - 2008/9-2012/13 | 1602.9 | 1180.9 | 2647.8 | | 412.7 |
| | 22 Obese adults (%) modelled estimate - 2006-2008 | 30.4 | 24.1 | 34.8 | | 5.9 |
| | 23 Binge drinking adults (%) modelled estimate - 2006-2008 | 19.1 | 20 | 56.4 | | 3.3 |
| | 24 Healthy eating adults (%) modelled estimate - 2006-2008 | 17.6 | 28.7 | 12.3 | | 54.1 |
| Disease & Poor Health | 25 Emergency hospital admissions for all causes (SAR) - 2008/9-2012/13 | 120 | 100 | 224.9 | | 27.2 |
| | 26 Emergency hospital admissions for CHD (SAR) - 2008/9-2012/13 | 152.8 | 100 | 425.3 | | 27 |
| | 27 Emergency hospital admissions for stroke (SAR) - 2008/9-2012/13 | 180.6 | 100 | 257.7 | | 28.4 |
| | 28 Emergency hospital admissions for heart attack (SAR) - 2008/9-2012/13 | 190.9 | 100 | 324.3 | | 20.6 |
| | 29 Emergency hospital admissions for COPD (SAR) - 2008/9-2012/13 | 178.6 | 100 | 660.1 | | 10.7 |
| | 30 Incidence of all cancer (SIR) - 2007-2011 | 98.9 | 100 | 146.6 | | 47.8 |
| | 31 Incidence of breast cancer (SIR) - 2007-2011 | 101 | 100 | 180.1 | | 43 |
| | 32 Incidence of colorectal cancer (SIR) - 2007-2011 | 102.6 | 100 | 200.1 | | 33 |
| | 33 Incidence of lung cancer (SIR) - 2007-2011 | 109.7 | 100 | 302 | | 23.4 |
| | 34 Incidence of prostate cancer (SIR) - 2007-2011 | 92.4 | 100 | 216.8 | | 23.6 |
| | 35 Hospital stays for self harm (SAR) - 2008/9-2012/13 | 177.8 | 100 | 464.3 | | 12.3 |
| | 36 Hospital stays for alcohol related harm (SAR) - 2008/9-2012/13 | 110.4 | 100 | 296.2 | | 37.2 |
| | 37 Emergency hospital admissions for hip fracture in 65+ (SAR) - 2008/9-2012/13 | 118.6 | 100 | 218.2 | | 31.8 |
| | 38 Elective hospital admissions for hip replacement (SAR) - 2008/9-2012/13 | 102.1 | 100 | 218.4 | | 16.9 |
| | 39 Elective hospital admissions for knee replacement (SAR) - 2008/9-2012/13 | 107.2 | 100 | 215.3 | | 21.4 |
| Life Expectancy & Causes of Death | 40 Life expectancy at birth for males (years) - 2008-2012 | 76.9 | 78.9 | 67.1 | | 91.3 |
| | 41 Life expectancy at birth for females (years) - 2008-2012 | 82.1 | 82.8 | 73.9 | | 98.4 |
| | 42 Deaths from all causes, all ages (SMR) 2008-2012 | 111 | 100 | 279.2 | | 19.9 |
| | 43 Deaths from all causes, under 65 years (SMR) 2008-2012 | 138.6 | 100 | 320.9 | | 0 |
| | 44 Deaths from all causes, under 75 years (SMR) 2008-2012 | 132.7 | 100 | 286.1 | | 0 |
| | 45 Deaths from all cancer, all ages (SMR) 2008-2012 | 106.1 | 100 | 234.6 | | 0 |
| | 46 Deaths from all cancer, under 75 years (SMR) 2008-2012 | 101.7 | 100 | 274.5 | | 0 |
| | 47 Deaths from circulatory disease, all ages (SMR) 2008-2012 | 129.7 | 100 | 279.2 | | 0 |
| | 48 Deaths from circulatory disease, under 75 years (SMR) 2008-2012 | 163.2 | 100 | 319.1 | | 0 |
| | 49 Deaths from coronary heart disease, all ages (SMR) 2008-2012 | 138.4 | 100 | 596.2 | | 0 |
| | 50 Deaths from coronary heart disease, under 75 years (SMR) 2008-2012 | 148.9 | 100 | 569.8 | | 0 |
| | 51 Deaths from stroke, all ages (SMR) 2008-2012 | 104.2 | 100 | 711.9 | | 0 |
| | 52 Deaths from respiratory diseases, all ages (SMR) 2008-2012 | 129.4 | 100 | 373.2 | | 0 |

* Indicators show the latest comparable ward data published on Public Health England's Local Health website <http://www.localhealth.org.uk>, produced from ONS data © Crown Copyright 2014. For the latest information for Telford & Wrekin please visit www.telford.gov.uk/factsandfigures

Disclaimer: Telford & Wrekin Council, while believing the information in this profile to be correct, does not guarantee its accuracy nor does the Council accept any liability for any direct or indirect loss or damage or other consequences, however arising from the use of such information supplied.