


# Ward Health Profile 2014: Woodside

## Overview

- The health of people who live in Woodside Ward is generally worse than the average for Telford & Wrekin and England as a whole. The chart below summarises how Woodside compares with England in 52 Public Health England Local Health Indicators.




(see page 4 for full list of indicators)

- The proportion of people aged under 16 in the ward is significantly higher than the average for Telford & Wrekin and for England.
- Life expectancy for men and women is lower than the average for Telford & Wrekin and significantly lower than the England average.
- Woodside is one of the most deprived wards in the borough and levels of deprivation in the ward are significantly worse than the average for England. More than one third of people in the ward live in income deprived households, and more than one half of children under 16 years are classed as living in poverty.
- The rate of emergency hospital admissions for all causes, coronary heart disease, stroke and chronic obstructive pulmonary disease is significantly worse than the England average. The admission rate for all causes is the worst in the borough and the admission rate for stroke the second worst.
- The rate of hospital admissions for alcohol related harm is significantly worse than the England average and is the worst rate in Telford & Wrekin.




© Crown copyright. All rights reserved. Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

## Population age profile



## Life expectancy




## Starting Well

### Pregnancy and Maternity

- The proportion of mothers smoking at time of delivery (49.6%) is almost four times the England average and is the worst rate in the borough.


The proportion of low birth weight babies (8.9%) is worse than the borough and England average.

The proportion of mother breastfeeding at birth (45.3%) and 6-8 weeks (20.6%) is also worse in Woodside than the borough and the England average.



### Childhood obesity


- The proportion of obese children in reception year (11.6%) and year 6 (21.1%) is worse than the borough and England average.



## Living Well

### Adult lifestyle

- The proportion of adults who are obese (31.5%), binge drink (20.6%) and who eat healthily (18.5%) is estimated to be worse in Woodside than the borough and England average.



### Smoking cessation


- The successful quit rate for adult smokers engaged in the stop smoking programme in the 12 months since September 2013 (50%) is worse than the borough average (56%).

**61 quitters  
(50%)**




## Health and Care

- The proportion of people who provide 1 hour or more unpaid care per week (9.4%) is better than the borough and the England average.
- The proportion of people reporting bad or very bad health (6.9%), long term illnesses or disability (19.5%) and providing 50 hours or more unpaid care per week (4.0%) is worse than the average for the borough and England



## Early deaths

- The ratio of deaths among people aged under 75 in Woodside from circulatory disease and heart disease is similar to the borough and England average.
- The ratio of early deaths from all causes and all cancer is worse than the borough and the England average.




Woodside is ranked in the worst fifth of wards in England for early deaths from all causes.

The ratio of early deaths from all causes in Woodside (132.2) is the seventh worst of the 33 wards in the borough and compares to the Telford & Wrekin average (111.6) and the best ward ratio in the borough (60.9).

The ratio of early deaths from all cancer (145.7) is the fourth worst ratio in Telford & Wrekin.


Deaths from all causes, under 75 years, standardised mortality ratio, 2008-2012



© Crown copyright. All rights reserved.  
Borough of Telford & Wrekin Licence No. 100019694. Date, 2014

## Spine chart of indicators

The chart below shows how Woodside compares with rest of England's Wards across 52 national ward level public health indicators.\*



	Indicator	Ward Value	England Value	England Lowest	England Range	England Highest
Our Community	1 Income Deprivation % - 2010	36	14.7	49.8		1.1
	2 Low Birth Weight Births (%) - 2008-2012	8.9	7.4	13.8		1.4
	3 Child Poverty (%) - 2010	50.6	21.8	79.8		1
	4 Child Development at age 5 (%) - 2011/12	53.7	63.5	19.1		95
	5 GCSE Achievement (5A*-C inc. Eng & Maths) (%) - 2011/12	38.7	58.8	21		100
	6 Unemployment (%) - 2012/13	8.8	3.8	16.7		0.3
	7 Long Term Unemployment (Rate/1,000 working age population) - 2012/13	21.1	10.1	68.2		0
	8 General Health - bad or very bad (%) - 2011	6.9	5.5	16.7		0
	9 General Health - very bad (%) - 2011	1.4	1.2	4.3		0
	10 Limiting long term illness or disability (%) - 2011	19.5	17.6	41.5		2.2
	11 Households with central heating (%) - 2011	97.9	97.3	44.1		100
	12 Overcrowding (%) - 2011	6.9	8.7	47.7		0.2
	13 Provision of 1 hour or more unpaid care per week (%) - 2011	9.4	10.2	17.6		1.7
	14 Provision of 50 hours or more unpaid care per week (%) - 2011	4	2.4	7.9		0
	15 Pensioners living alone (%) - 2011	28.4	31.5	63.3		11.4
	16 Older People in Deprivation (%) - 2010	37.2	18.1	82.1		2.1
Health & Lifestyle	17 Obese Children (Reception Year) (%) - 2010/11-2012/13	11.6	9.4	23.6		2.1
	18 Children with excess weight (Reception Year) (%) - 2010/11-2012/13	27.6	22.5	45.5		6
	19 Obese Children (Year 6) (%) - 2010/11-2012/13	21.1	19.1	36		4
	20 Children with excess weight (Year 6) (%) - 2010/11-2012/13	34.9	33.5	54.1		10
	21 Children's and young people's admissions for injury rate - 2008/9-2012/13	1296.2	1180.9	2647.8		412.7
	22 Obese adults (%) modelled estimate - 2006-2008	31.5	24.1	34.8		5.9
	23 Binge drinking adults (%) modelled estimate - 2006-2008	20.6	20	56.4		3.3
	24 Healthy eating adults (%) modelled estimate - 2006-2008	18.5	28.7	12.3		54.1
Disease & Poor Health	25 Emergency hospital admissions for all causes (SAR) - 2008/9-2012/13	131.8	100	224.9		27.2
	26 Emergency hospital admissions for CHD (SAR) - 2008/9-2012/13	140.7	100	425.3		27
	27 Emergency hospital admissions for stroke (SAR) - 2008/9-2012/13	178.4	100	257.7		28.4
	28 Emergency hospital admissions for heart attack (SAR) - 2008/9-2012/13	117.8	100	324.3		20.6
	29 Emergency hospital admissions for COPD (SAR) - 2008/9-2012/13	278.8	100	660.1		10.7
	30 Incidence of all cancer (SIR) - 2007-2011	97	100	146.6		47.8
	31 Incidence of breast cancer (SIR) - 2007-2011	81.6	100	180.1		43
	32 Incidence of colorectal cancer (SIR) - 2007-2011	105.7	100	200.1		33
	33 Incidence of lung cancer (SIR) - 2007-2011	96	100	302		23.4
	34 Incidence of prostate cancer (SIR) - 2007-2011	76.4	100	216.8		23.6
	35 Hospital stays for self harm (SAR) - 2008/9-2012/13	112	100	464.3		12.3
	36 Hospital stays for alcohol related harm (SAR) - 2008/9-2012/13	111.8	100	296.2		37.2
	37 Emergency hospital admissions for hip fracture in 65+ (SAR) - 2008/9-2012/13	110.3	100	218.2		31.8
	38 Elective hospital admissions for hip replacement (SAR) - 2008/9-2012/13	61.1	100	218.4		16.9
	39 Elective hospital admissions for knee replacement (SAR) - 2008/9-2012/13	120.7	100	215.3		21.4
Life Expectancy & Causes of Death	40 Life expectancy at birth for males (years) - 2008-2012	76.3	78.9	67.1		91.3
	41 Life expectancy at birth for females (years) - 2008-2012	78.6	82.8	73.9		98.4
	42 Deaths from all causes, all ages (SMR) 2008-2012	129.5	100	279.2		19.9
	43 Deaths from all causes, under 65 years (SMR) 2008-2012	133	100	320.9		0
	44 Deaths from all causes, under 75 years (SMR) 2008-2012	132.2	100	286.1		0
	45 Deaths from all cancer, all ages (SMR) 2008-2012	125.3	100	234.6		0
	46 Deaths from all cancer, under 75 years (SMR) 2008-2012	145.7	100	274.5		0
	47 Deaths from circulatory disease, all ages (SMR) 2008-2012	123.3	100	279.2		0
	48 Deaths from circulatory disease, under 75 years (SMR) 2008-2012	110.1	100	319.1		0
	49 Deaths from coronary heart disease, all ages (SMR) 2008-2012	149	100	596.2		0
	50 Deaths from coronary heart disease, under 75 years (SMR) 2008-2012	117.3	100	569.8		0
	51 Deaths from stroke, all ages (SMR) 2008-2012	122.1	100	711.9		0
	52 Deaths from respiratory diseases, all ages (SMR) 2008-2012	193.5	100	373.2		0

\* Indicators show the latest comparable ward data published on Public Health England's Local Health website <http://www.localhealth.org.uk>, produced from ONS data © Crown Copyright 2014. For the latest information for Telford & Wrekin please visit [www.telford.gov.uk/factsandfigures](http://www.telford.gov.uk/factsandfigures)

**Disclaimer:** Telford & Wrekin Council, while believing the information in this profile to be correct, does not guarantee its accuracy nor does the Council accept any liability for any direct or indirect loss or damage or other consequences, however arising from the use of such information supplied.