
# Ward Health Profile 2014: Wrockwardine

#### Overview

• The health of people who live in Wrockwardine Ward is generally better than the average for Telford & Wrekin and England as a whole. The chart below summarises how Wrockwardine compares with England in 52 Public Health England Local Health Indicators.




(see page 4 for full list of indicators)

- The proportion of people aged 25-64 and 65-84 in the ward is higher than the average for Telford & Wrekin and for England.
- Life expectancy for both men and women is better than the average for England. Life expectancy for men is the second best in the borough and the fourth best for women.
- Wrockwardine is one of the least deprived wards in the borough. The level of income deprivation, child poverty and proportion of older people in deprivation in the ward is significantly better than the average for England.
- The rate of emergency hospital admissions for all causes is significantly better than the England average. The emergency admission rate for both heart attack and stroke is also significantly better than the England average and is the lowest in the borough.
- The rate of elective hospital admissions for hip replacement in Wrockwardine is significantly worse than the average for England and is the third highest in the borough.




© Crown copyright. All rights reserved. Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

#### Population age profile



#### Life expectancy



Produced by Delivery & Planning (01952) 380131 Date: January 2015






### Starting Well

### Pregnancy and Maternity

The proportion of mothers smoking at the time of delivery in Wrockwardine (9.1%) is better than the borough and England average.


The proportion of mothers breastfeeding at 6-8 weeks (56.8%) is the best in the borough and the proportion breastfeeding at birth (83.6%) is also better than the borough and the England average.

The proportion of low birth weight babies in Wrockwardine (7.4%) is better than the borough and similar to the England average.



#### Childhood obesity


The proportion of obese children in reception year (7.3%) and year 6 (13.6%) is better than the borough and England average.



### Living Well

## Adult lifestyle

The level of adult obesity (24.3%), binge drinking (18.2%) and healthy eating (32.3%) in Wrockwardine is estimated to be better than the borough average and better than or similar to the England average.



## **Smoking cessation**


The successful quit rate for adult smokers engaged in the stop smoking programme in the 12 months since September 2013 (42%) is worse than the borough average (56%).



### Ageing Well

#### Health and Care

- The proportion of people reporting bad or very bad health (3.8%), long term illnesses or disability (14.3%) and providing 50 hours or more unpaid care per week (1.9%) is better than the borough and England average.
- The proportion of people who provide 1 hour or more unpaid care per week (11.2%) is worse than the average for the borough and England





#### Early deaths

- The ratio of deaths among people aged under 75 in Wrockwardine is better than the borough and England average for:
  - · deaths from all causes
  - · deaths from circulatory disease
  - · deaths from heart disease
- The ratio of early deaths from all cancer is better than the borough and similar to the England average.

Wrockwardine is ranked just outside the fifth of wards in England with the best ratio of early deaths from all causes. The ward ratio (74.9) is the fifth best in the borough for deaths from all causes and compares with the best ratio in the borough of 60.9.

The ratio of early deaths from circulatory disease (45.0) is the best in the borough. The ratio of early deaths from heart disease (40.8) is the second best in Telford & Wrekin.





# Spine chart of indicators

The chart below shows how Wrockwardine compares with rest of England's Wards across 52 national ward level public health indicators.\*



		Indicator	Ward Value	England Value	England Lowest	England Range	England Highest
Our Community	1	Income Deprivation % - 2010	7.8	14.7	49.8	90	1.1
	2	Low Birth Weight Births (%) - 2008-2012	7.4	7.4	13.8		1.4
		Child Poverty (%) - 2010	7.9	21.8	79.8		1
	4	Child Development at age 5 (%) - 2011/12	56.8	63.5	19.1		95
	5	GCSE Achievement (5A*-C inc. Eng & Maths) (%) - 2011/12	68.5	58.8	21	<b>\Q</b> O	100
	6	Unemployment (%) - 2012/13	1.7	3.8	16.7	<b>4</b>	0.3
	7	Long Term Unemployment (Rate/1,000 working age population) - 2012/13	2.6	10.1	68.2		0
	8	General Health - bad or very bad (%) - 2011	3.8	5.5	16.7		0
	9	General Health - very bad (%) - 2011	0.7	1.2	4.3		0
	10	Limiting long term illness or disability (%) - 2011	14.3	17.6	41.5		2.2
	11	Households with central heating (%) - 2011	98.2	97.3	44.1		100
	12	Overcrowding (%) - 2011	3	8.7	47.7		0.2
		Provision of 1 hour or more unpaid care per week (%) - 2011	11.2	10.2	17.6		1.7
		Provision of 50 hours or more unpaid care per week (%) - 2011	1.9	2.4	7.9	<b>\</b>	0
		Pensioners living alone (%) - 2011	23	31.5	63.3	<b>\$0</b>	11.4
	_	Older People in Deprivation (%) - 2010	14.5	18.1	82.1		2.1
Health & Lifestyle		Obese Children (Reception Year) (%) - 2010/11-2012/13	7.3	9.4	23.6		2.1
	_	Children with excess weight (Reception Year) (%) - 2010/11-2012/13	19.3	22.5	45.5		6
	_	Obese Children (Year 6) (%) - 2010/11-2012/13	13.6	19.1	36		4
		Children with excess weight (Year 6) (%) - 2010/11-2012/13	25.7	33.5	54.1		10
		Children's and young people's admissions for injury rate - 2008/9-2012/13	1026.5	1180.9	2647.8	<b>b</b>	412.7
		Obese adults (%) modelled estimate - 2006-2008	24.3	24.1	34.8		5.9
		Binge drinking adults (%) modelled estimate - 2006-2008	18.2	20	56.4	7	3.3
		Healthy eating adults (%) modelled estimate - 2006-2008	32.3	28.7	12.3	<b>*</b>	54.1
Life Expectancy & Causes of Death		Emergency hospital admissions for all causes (SAR) - 2008/9-2012/13	81.6	100	224.9		27.2
	_	Emergency hospital admissions for CHD (SAR) - 2008/9-2012/13	67.6	100	425.3	6	27
	_	Emergency hospital admissions for stroke (SAR) - 2008/9-2012/13	95.2	100	257.7	<b>♦6</b>	28.4
		Emergency hospital admissions for heart attack (SAR) - 2008/9-2012/13	86.5	100	324.3	<b>\$</b>	20.6
	_	Emergency hospital admissions for COPD (SAR) - 2008/9-2012/13	47.6	100	660.1		10.7
		Incidence of all cancer (SIR) - 2007-2011	97.2	100	146.6	5	47.8
		Incidence of breast cancer (SIR) - 2007-2011	103.4	100	180.1		43
		Incidence of colorectal cancer (SIR) - 2007-2011	135.9	100	200.1	0	33
	_	Incidence of lung cancer (SIR) - 2007-2011	67.2	100	302	<u></u>	23.4
		Incidence of prostate cancer (SIR) - 2007-2011	75.4	100	216.8		23.6
		Hospital stays for self harm (SAR) - 2008/9-2012/13	76.6	100	464.3	<b>—</b>	12.3
	_	Hospital stays for alcohol related harm (SAR) - 2008/9-2012/13	70.8	100	296.2		37.2
		Emergency hospital admissions for hip fracture in 65+ (SAR) - 2008/9-2012/13	101.9	100	218.2		31.8
		Elective hospital admissions for hip replacement (SAR) - 2008/9-2012/13	163.1	100	218.4	• <b>d</b>	16.9
		Elective hospital admissions for knee replacement (SAR) - 2008/9-2012/13	118.4	100	215.3	Č	21.4
	_	Life expectancy at birth for males (years) - 2008-2012	80.3	78.9	67.1		91.3
		Life expectancy at birth for females (years) - 2008-2012	85.7	82.8	73.9		98.4
	_	Deaths from all causes, all ages (SMR) 2008-2012	83.8	100	279.2		19.9
		Deaths from all causes, under 65 years (SMR) 2008-2012	71.9	100	320.9		0
	44	Deaths from all causes, under 75 years (SMR) 2008-2012	74.9	100	286.1		0
		Deaths from all cancer, all ages (SMR) 2008-2012	101.7	100	234.6		0
	_	Deaths from all cancer, under 75 years (SMR) 2008-2012	100.3	100	274.5	X	0
	_	Deaths from circulatory disease, all ages (SMR) 2008-2012	77.6	100	274.3	***	0
		Deaths from circulatory disease, under 75 years (SMR) 2008-2012	45	100	319.1		0
		Deaths from coronary heart disease, all ages (SMR) 2008-2012	52.6	100	596.2	7	
	_	Deaths from coronary heart disease, all ages (SMR) 2008-2012	40.8	100	569.8		0
	_						0
		Deaths from stroke, all ages (SMR) 2008-2012 Deaths from respiratory diseases, all ages (SMR) 2008-2012	111.3	100	711.9	<b>X</b>	0
	52	Deaths from respiratory diseases, all ages (Sivin) 2008-2012	87	100	373.2		0

<sup>\*</sup> Indicators show the latest comparable ward data published on Public Health England's Local Health website <a href="http://www.localhealth.org.uk">http://www.localhealth.org.uk</a>, produced from ONS data © Crown Copyright 2014. For the latest information for Telford & Wrekin please visit <a href="https://www.telford.gov.uk/factsandfigures">www.telford.gov.uk/factsandfigures</a>

**Disclaimer**: Telford & Wrekin Council, while believing the information in this profile to be correct, does not guarantee its accuracy nor does the Council accept any liability for any direct or indirect loss or damage or other consequences, however arising from the use of such information supplied.