
Ward Health Profile 2014: Wrockwardine Wood & Trench

Overview

• The health of people who live in Wrockwardine Wood & Trench Ward is generally worse than the average for Telford & Wrekin and England as a whole. The chart below summarises how Wrockwardine Wood & Trench compares with England in 52 Public Health England Local Health Indicators.



(see page 4 for full list of indicators)

• The proportion of people aged 65-84 in the ward is higher than the average for Telford & Wrekin and for England.

• Life expectancy for men is better than the average for Telford & Wrekin and England. For women, it is similar to the borough average and worse than the average for England.

• Deprivation in Wrockwardine Wood & Trench is similar to the borough average. Levels of deprivation are not significantly different from the England average for income deprivation, child poverty and the proportion of older people living in deprivation.

• The rate of emergency hospital admissions for all causes and chronic obstructive pulmonary disease is significantly worse than the England average.

• The rate of hospital admissions for elective knee replacement is significantly worse than the England average.


• The rate of admissions for hip fractures in people aged 65 plus is better than the England average.

Produced by Delivery & Planning (01952) 380131 Date: January 2015




© Crown copyright. All rights reserved. Borough of Telford & Wrekin Licence No. 100019694. Date. 2014

Population age profile



Life expectancy







Starting Well


Pregnancy and Maternity

- The proportion of mothers smoking at time of delivery (12.3%) is better than the borough average and similar to the England average.
- The proportion of low birth weight babies (8.2%) is similar to the borough and England average.
- The proportion of mothers who breastfeed at birth (63.0%) and at 6-8 weeks (21.6%) is worse in Wrockwardine Wood & Trench than the borough and the England average.





The proportion of obese children in reception year (11.9%) and year 6 (26.4%) is worse than the borough and England average.



Living Well



Smoking cessation

The successful quit rate for adult smokers engaged in the stop smoking programme in the 12 months since September 2013 (66%) is better than the borough average (56%).




Ageing Well

Health and Care

The proportion of people reporting bad or very bad health (6.6%) and long term illnesses or disability (20.6%) is worse than the average for the borough and England.

The proportion of people who are providing unpaid care for 1 hour or more (11.6%) and 50 hours or more (3.2%) per week is worse than the average for the borough and England





Early deaths

- The ratio of deaths in people aged under 75 in Wrockwardine Wood & Trench is similar to the borough and England average for:
 - deaths from all causes
 - deaths from circulatory disease
 - · deaths from heart disease
 - The ratio of early deaths from all cancers is worse than the borough and England average.

Wrockwardine Wood & Trench is ranked in the second worst fifth of wards in England for early deaths from all causes.

The ratio of early deaths from all causes in the ward (113.7) is the fourteenth worst of the 33 wards in the borough, and compares to the Telford & Wrekin average of 111.6 and the best ward ratio in the borough of 60.9.





Ward Health Profile - Wrockwardine Wood & Trench

Spine chart of indicators

The chart below shows how Wrockwardine Wood & Trench compares with rest of England's Wards across 52 national ward level public health indicators.* Key ntly better than England Average England Average

у	Significantly beller than England Averag
	Not significantly different from England A

0	Not significantly different from England Average	Lower			Higher
•	Significantly worse than England Average	Lower	25 th percentile	75 th percentile	riighei
\diamond	Telford and Wrekin Average		23° percentile	75° percentile	

	Indicator	Ward Value	England Value	England Lowest	England Range	England Highest
	1 Income Deprivation % - 2010		14.7	49.8	••••••••••••••••••••••••••••••••••••	1.1
	2 Low Birth Weight Births (%) - 2008-2012	8.2	7.4	13.8		1.4
	3 Child Poverty (%) - 2010	21.1	21.8	79.8	•••••	1
	4 Child Development at age 5 (%) - 2011/12	57.3	63.5	19.1		95
	5 GCSE Achievement (5A*-C inc. Eng & Maths) (%) - 2011/12	72.7	58.8	21		100
Communi	6 Unemployment (%) - 2012/13	4.3	3.8	16.7		0.3
	7 Long Term Unemployment (Rate/1,000 working age population) - 2012/13	9	10.1	68.2		0
	8 General Health - bad or very bad (%) - 2011	6.6	5.5	16.7		0
	9 General Health - very bad (%) - 2011	1.4	1.2	4.3		0
	10 Limiting long term illness or disability (%) - 2011	20.6	17.6	41.5		2.2
Our	11 Households with central heating (%) - 2011		97.3	44.1		100
	12 Overcrowding (%) - 2011	98.1 4.7	8.7	47.7	6	0.2
	13 Provision of 1 hour or more unpaid care per week (%) - 2011		10.2	17.6		1.7
	14 Provision of 50 hours or more unpaid care per week (%) - 2011	11.6 3.2	2.4	7.9		0
	15 Pensioners living alone (%) - 2011	27.7	31.5	63.3		11.4
	16 Older People in Deprivation (%) - 2010	17.9	18.1	82.1		2.1
	17 Obese Children (Reception Year) (%) - 2010/11-2012/13	11.9	9.4	23.6	A A	2.1
<u>0</u>	18 Children with excess weight (Reception Year) (%) - 2010/11-2012/13	26.5	22.5	45.5		6
Lifestyle	19 Obese Children (Year 6) (%) - 2010/11-2012/13	26.4	19.1	36		4
.ife	20 Children with excess weight (Year 6) (%) - 2010/11-2012/13	40.6	33.5	54.1		
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		1063.5	1180.9	2647.8		10
E	21 Children's and young people's admissions for injury rate - 2008/9-2012/13 22 Obese adults (%) modelled estimate - 2006-2008					412.7
Health		30.2	24.1	34.8	00	5.9
Ť	23 Binge drinking adults (%) modelled estimate - 2006-2008	15.8	20	56.4		3.3
	24 Healthy eating adults (%) modelled estimate - 2006-2008	22.8	28.7	12.3	$\bigcirc$	54.1
	25 Emergency hospital admissions for all causes (SAR) - 2008/9-2012/13	106.5	100	224.9	<u> </u>	27.2
	26 Emergency hospital admissions for CHD (SAR) - 2008/9-2012/13	92	100	425.3		27
	27 Emergency hospital admissions for stroke (SAR) - 2008/9-2012/13	128.8	100	257.7		28.4
lth	28 Emergency hospital admissions for heart attack (SAR) - 2008/9-2012/13	93.4	100	324.3	<u> </u>	20.6
Poor Health	29 Emergency hospital admissions for COPD (SAR) - 2008/9-2012/13	155.4	100	660.1	<b>P</b>	10.7
L T	30 Incidence of all cancer (SIR) - 2007-2011	96.9	100	146.6		47.8
8	31 Incidence of breast cancer (SIR) - 2007-2011	73.3	100	180.1		43
 ∞	32 Incidence of colorectal cancer (SIR) - 2007-2011	124.4	100	200.1		33
6	33 Incidence of lung cancer (SIR) - 2007-2011	102	100	302	<b>•</b>	23.4
Disease	34 Incidence of prostate cancer (SIR) - 2007-2011	71.8	100	216.8	$\bigcirc$	23.6
ise	35 Hospital stays for self harm (SAR) - 2008/9-2012/13	123.6	100	464.3	<b>_</b>	12.3
	36 Hospital stays for alcohol related harm (SAR) - 2008/9-2012/13	105.4	100	296.2	<b>•</b>	37.2
	37 Emergency hospital admissions for hip fracture in 65+ (SAR) - 2008/9-2012/13	64.7	100	218.2	<b>0</b>	31.8
	38 Elective hospital admissions for hip replacement (SAR) - 2008/9-2012/13	105.2	100	218.4		16.9
	39 Elective hospital admissions for knee replacement (SAR) - 2008/9-2012/13	136.5	100	215.3		21.4
	40 Life expectancy at birth for males (years) - 2008-2012	79.5	78.9	67.1	<b>~</b>	91.3
Death	41 Life expectancy at birth for females (years) - 2008-2012	81.5	82.8	73.9		98.4
of [	42 Deaths from all causes, all ages (SMR) 2008-2012	99	100	279.2		19.9
	43 Deaths from all causes, under 65 years (SMR) 2008-2012	118.9	100	320.9		0
Causes	44 Deaths from all causes, under 75 years (SMR) 2008-2012	113.7	100	286.1		0
Cau	45 Deaths from all cancer, all ages (SMR) 2008-2012	118.5	100	234.6		0
8	46 Deaths from all cancer, under 75 years (SMR) 2008-2012	123.4	100	274.5	Ŏ	0
	47 Deaths from circulatory disease, all ages (SMR) 2008-2012	83.3	100	279.2		0
and	48 Deaths from circulatory disease, under 75 years (SMR) 2008-2012	113.9	100	319.1	ď	0
Expectancy	49 Deaths from coronary heart disease, all ages (SMR) 2008-2012		100	596.2	<u> </u>	0
ed ×	50 Deaths from coronary heart disease, under 75 years (SMR) 2008-2012	91.9 113.6	100	569.8	<u> </u>	0
	51 Deaths from stroke, all ages (SMR) 2008-2012	91.8	100	711.9	<u> </u>	0
Life	52 Deaths from respiratory diseases, all ages (SMR) 2008-2012	91.8	100	373.2	<u> </u> χ	0
	Je peans nonn respiratory diseases, an ayes (SIVIN) 2000-2012	31.1	100	313.2		U

* Indicators show the latest comparable ward data published on Public Health England's Local Health website http://www.localhealth.org.uk, produced from ONS data © Crown Copyright 2014. For the latest information for Telford & Wrekin please visit www.telford.gov.uk/factsandfigures

Disclaimer: Telford & Wrekin Council, while believing the information in this profile to be correct, does not guarantee its accuracy nor does the Council accept any liability for any direct or indirect loss or damage or other consequences, however arising from the use of such information supplied.