

# PUBLIC HEALTH OUTCOMES FRAMEWORK (PHOF): Telford & Wrekin Update Report, May 2016

---

## Introduction

The Public Health Outcomes Framework (PHOF) for England<sup>1</sup>, was first published in January 2012 by Public Health England (PHE). The overarching vision of the PHOF is improving and protecting the nation's health and wellbeing, and improving the health of the poorest fastest. This vision is encompassed in the framework's two high level outcomes:

- **Outcome 1:** Increased healthy life expectancy
- **Outcome 2:** Reduced differences in life expectancy and healthy life expectancy between communities

The framework aims to deliver these outcomes through improvement across 64 public health indicators and a series of sub indicators grouped into five domains.

## Purpose

PHE refresh and update the data the PHOF indicators at quarterly intervals in August, November, February and May. This report provides an updated overview and key headlines for Telford & Wrekin from the most recent PHOF, comprising updates released by PHE in May 2016.

## Key Headlines for Telford & Wrekin (May 2016)

Summary tables of all the PHOF indicators are included in the Appendix 1.

### New or updated indicators with improving RAG rating

- The **proportion of the population meeting the recommended '5-a-day'** has increased from 46.4% in 2014 to 48.6% in 2015 and is now similar to the England average.
- The **average number of portions of vegetables consumed daily** has increased from 2.05 in 2014 to 2.17 in 2015, improving the local RAG rating to amber.
- The **rate of male hospital admissions for alcohol related conditions – narrow definition** has decreased from 909.8 for 2013/14 to 877.8 for 2014/15, placing Telford and Wrekin similar to the England figure.

### New or updated indicators with worsening RAG rating

- The **proportion of residents utilising outdoor space for exercise/health reasons** has decreased from 25.1% for Mar 2013 – Feb 2014 to 17.3% for Mar 2014 to Feb 2015, resulting in a change in RAG rating from green to amber.

### New or updated indicators with no change in RAG rating

- There was a general (but not statistically significant) improvement in the following indicators across all the domains:

---

<sup>1</sup> <https://www.gov.uk/government/publications/healthy-lives-healthy-people-improving-outcomes-and-supporting-transparency>

- **The percentage of employees who had at least one day off in the previous week** decreased from 3.5% for 2010-12 to 3.2% for 2011-13, this indicator remains similar to the England average.
- **The percentage of working days lost due to sickness absence** has decreased from 1.85% for 2010-12 to 1.72% for 2011-13, this indicator remains similar to the England average.
- The **rate of hospital admissions for violence** has fallen from 36.14 for 2011/12 to 31.27 for 2012/13, this indicator remains better than the England average.
- The **rate of under 18 conceptions** has decreased from 25.14 for 2013 to 32.61 for 2014, this indicator remains worse than the England average of 22.8.
- The **rate of hospital admissions caused by unintentional and deliberate injuries in children aged 0-14** has decreased from 143.84 for 2013/14 to 142.95 for 2014/15, this indicator remains worse than the England average.
- The **rate of hospital admissions caused by unintentional and deliberate injuries in children aged 0-4** has fallen from 192.88 for 2013/14 to 175.75 for 2014/15, this indicator remains worse than the England average.
- The **rate of hospital admissions caused by unintentional and deliberate injuries in young people aged 15-24** has fallen from 144.69 for 2013/14 to 118.00 for 2014/15, this indicator remains similar to the England rate.
- The **rate of hospital admissions for alcohol-related conditions – narrow definition** has fallen from 681.49 for 2013/14 to 667.79 for 2014/15, this indicator remains similar to the England average.
- The **average health status score for adults aged 65 and over** has increased from 0.67 for 2012/13 to 0.70 for 2013/14, this indicator remains worse than the England average.
- **Female healthy life expectancy at birth** has increased from 57.06 for 2011-13 to 58.17 for 2012-14.
- There was a general (but not statistically significant) worsening in the following indicators across all domains
  - The **rate of conceptions in those aged under 16** has increased from 4.77 in 2013 to 5.9 in 2014, this indicator remains similar to the England average.
  - The **average number of portions of fruit consumed daily** has decreased from 2.39 in 2014 to 2.20 in 2015, this indicator remains worse than the England average.
  - **Male healthy life expectancy at birth** has decreased from 60.11 for 2011-13 to 59.76 for 2012-14, this indicator remains worse than the England average.

### **New and updated indicators with no polarity**

The following indicators without polarity have seen a statistically significant change:

- .The **rate of domestic abuse incidents recorded** has increased from 15.48 for 2013/14 to 17.78 for 2014/15

## **New Indicators and sub-indicators**

There have been a several new sub-indicators of supporting information included in the PHOF since the last update in February 2016:

- **The percentage of the population aged under 18**
- **The percentage of the population aged 65+**
- **The percentage of the population from Black and Minority Ethnic (BME) groups.**

DRAFT

### Domain 0 – Overarching Determinants of Health

There are two primary indicators with a total of 12 sub-indicators in this domain with reported data. In addition there are 5 pieces of supporting information. There were three new pieces of supporting information in this release;

- Percentage of population aged under 18
- Percentage of the population aged 65+
- Percentage of the population from BME groups

Two indicators have been updated in the May 2016 release.

- Healthy life expectancy at birth (male and female)

The Telford & Wrekin position is significantly worse than the England average for all eight sub-indicators that have been compared.

#### **Worse than average indicators:**

- Healthy life expectancy at birth (male and female)
- Life expectancy at birth (male and female)
- Life expectancy at 65 (male and female)
- Gap in life expectancy at birth between each LA and England (male and female)

### Domain 1 – Wider Determinants of Health

There are 17 primary indicators with a total of 48 sub-indicators with reported data in this domain. There have been no new sub-indicators:

A total of 5 sub-indicators have had data updates since the February 2016 release:

- The percentage of employees who had at least one day off in the previous week
- The percentage of working days lost due to sickness absence
- The rate of domestic abuse incidents
- The rate of hospital admissions for violence
- Utilisation of outdoor space for exercise/health reasons

The Telford & Wrekin position is significantly worse than the England average for five sub-indicators and significantly better for nine sub-indicators

#### **Better than average indicators:**

- The percentage of Year 1 pupils achieving the expected level in the phonics screening check (persons, male and female, free school meals persons and female)
- Killed and seriously injured casualties
- Hospital admissions for violence
- The rate of complaints about noise
- Households in temporary accommodation

### **Worse than average indicators:**

- Children in poverty (under 20 and under 16)
- First time entrants to the youth justice system
- 16 – 18 year olds not in education, employment or training
- Fuel poverty

## **Domain 2 – Health Improvement**

There are 22 primary indicators with 53 sub-indicators with reported local data in this domain.

There have been no new indicators since to February 2016 update.

A total of 13 indicators have been updated since the last release:

- Under 18 conceptions (all and under 16)
- Hospital admissions caused by unintentional and deliberate injuries in children and young people (aged 0-14, 0-4 and 15-24)
- Emotional wellbeing of looked after children
- Proportion of the population meeting the recommended '5-a-day'
- Average number of portions of fruit consumed daily
- Average number of portions of vegetables consumed daily
- Hospital admissions for alcohol-related conditions – narrow definition (persons, male and female)
- Cancer diagnosed at an early stage

Overall, Telford & Wrekin is significantly better than the England average in 18 of the sub-indicators and significantly worse in 12.

### **Better than average indicators:**

- Smoking prevalence at age 15 (current and regular)
- Cancer screening coverage (breast and cervical)
- Newborn bloodspot screening
- Newborn hearing screening
- Access to non-cancer screening programmes – diabetic retinopathy
- Abdominal aortic aneurysm screening (male)
- Eligible population aged 40-74 offered an NHS health check
- Injuries due to falls in people aged 65 and over (persons, male and female, 65-79 persons male and female, 80+ persons male and female)

### **Worse than average indicators:**

- Breastfeeding initiation
- Smoking status at time of delivery
- Under 18 conceptions
- Excess weight in 10-11 year olds
- Hospital admissions caused by unintentional and deliberate injuries in children (0-4 and 0-14)
- Average number of portions of fruit consumed daily
- Excess weight in adults
- Smoking prevalence

- Cancer screening coverage – bowel cancer
- Eligible population aged 40-74 offered an NHS health check
- Eligible population aged 40-74 who received an NHS health check

### Domain 3 – Health Protection

There are seven primary indicators with 24 sub-indicators that have reported local data in this domain.

There have been no new indicators since the February 2016 update.

One indicator has been updated since the previous release.

- NHS organisations with a boards approved sustainable development management plan

The Telford & Wrekin position is significantly better than the England average for 14 of the sub-indicators and significantly worse for one.

#### Better than average indicators:

- Population vaccination coverage – Dtap/IPV/Hib (1 year old and 2 years old)
- Population vaccination coverage – MenC
- Population vaccination coverage – PCV
- Population vaccination coverage – Hib / MenC booster (2 years and 5 years)
- Population vaccination coverage – PCV booster
- Population vaccination coverage – MMR for one dose (2 years and 5 years)
- Population vaccination coverage – MMR for two doses (5 years)
- Population vaccination coverage – HPV
- Population vaccination coverage – Flu (at risk individuals)

#### Worse than average indicators:

- Population vaccination coverage - PPV

### Domain 4 – Healthcare and Premature Mortality

There are 16 primary indicators with a total of 64 sub-indicators with reported local data in this domain.

There have been no new indicators since the February 2016 update.

One indicator has been updated since the last release.

- Health related quality of life for older people

The Telford & Wrekin position is significantly worse than the England average for six of the sub-indicators. There are no local indicators better than the national average.

#### Worse than average indicators:


- Mortality rate from causes considered preventable
- Under 75 mortality rate from cancer (persons and male)
- Under 75 mortality rate from cancer considered preventable (persons and male)

- Health related quality of life for older people

DRAFT

## Summary of benchmarked indicators

- **Domain 0: Overarching Determinants of Health** has the greatest proportion of indicators where the Telford & Wrekin position is worse than the England average, with 100% of benchmarked indicators rated red. *(total 8 indicators)*
- **Domain 4: Healthcare and Premature Mortality** is the area where the benchmarked Telford & Wrekin position is closest to the England average. This domain has the highest proportion of indicators that are statistically similar to the England average, with 90% of benchmarked indicators rated amber. *(total 63 indicators)*
- **Domain 3: Health Protection** is the area where Telford & Wrekin has the highest proportion of indicators rated better than the England average, with 78% of benchmarked indicators rated green. *(total 18 indicators)*



# Appendix 1

## Key to RAG rating

Telford & Wrekin position significantly worse than the England average or goal	Telford & Wrekin position similar to the England average or goal	Telford & Wrekin position significantly better than the England average or goal
--	--	---

The RAG rating in these tables uses the statistical significance as calculated and presented by Public Health England (PHE) in the PHOF release February 2016. Indicators without RAG ratings are those where PHE have not applied statistical comparisons.

ref	Indicator	Telford and Wrekin	England figure	Time Period
0.1i Update	Healthy life expectancy at birth-Male	59.76	63.43	2012 - 14
0.1i Update	Healthy life expectancy at birth-Female	58.17	64.00	2012 - 14
0.1ii	Life expectancy at birth-Male	78.70	79.55	2012 - 14
0.1ii	Life expectancy at birth-Female	81.80	83.20	2012 - 14
0.1ii	Life expectancy at 65-Male	18.20	18.77	2012 - 14
0.1ii	Life expectancy at 65-Female	20.30	21.19	2012 - 14
0.2iii	Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area-Male	6.95	-	2012 - 14
0.2iii	Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area-Female	2.84	-	2012 - 14
0.2iv	Gap in life expectancy at birth between each local authority and England as a whole-Male	-0.85	0.00	2012 - 14
0.2iv	Gap in life expectancy at birth between each local authority and England as a whole-Female	-1.40	0.00	2012 - 14
0.2vi	SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas -Male	11.81	-	2009 - 13
0.2vi	SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas -Female	12.10	-	2009 - 13
Supporting Information	Deprivation score (IMD 2010)-Persons	23.63	21.69	2010
Supporting information	Deprivation score (IMD 2015)-Persons	24.85	21.78	2015
Supporting information New	% population aged <18-Persons	23.02	21.34	2014
Supporting information New	% population aged 65+-Persons	16.07	17.56	2014
Supporting information New	% population from Black and Minority Ethnic (BME) groups-Persons	7.34	14.58	2011

## Domain 1: Wider Determinants of Health

Ref	Indicator	Telford and Wrekin	England	Time Period
1.01i	Children in poverty (all dependent children under 20)-Persons	22.00	18.00	2013
1.01ii	Children in poverty (under 16s)-Persons	23.00	18.60	2013
1.02i	School Readiness: the percentage of children achieving a good level of development at the end of reception-Persons	66.61	66.26	2014/15
1.02i	School Readiness: the percentage of children achieving a good level of development at the end of reception-Male	58.28	58.63	2014/15
1.02i	School Readiness: the percentage of children achieving a good level of development at the end of reception-Female	74.91	74.28	2014/15
1.02i	School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception-Persons	52.04	51.20	2014/15
1.02i	School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception-Male	39.70	42.62	2014/15
1.02i	School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception-Female	64.77	60.33	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check-Persons	81.53	76.78	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check-Male	77.67	72.98	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check-Female	85.89	80.75	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check-Persons	71.43	64.67	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check-Male	64.68	59.51	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check-Female	78.87	70.06	2014/15
1.03	Pupil absence-Persons	4.40	4.51	2013/14
1.04	First time entrants to the youth justice system-Persons	549.45	409.06	2014
1.05	16-18 year olds not in education employment or training-Persons	7.30	4.67	2014
1.06i	Adults with a learning disability who live in stable and appropriate accommodation-Persons	53.75	73.32	2014/15
1.06i	Adults with a learning disability who live in stable and appropriate accommodation-Male	55.32	73.23	2014/15
1.06i	Adults with a learning disability who live in stable and appropriate accommodation-Female	51.52	73.11	2014/15
1.06ii	Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation-Persons	65.10	59.70	2014/15
1.06ii	Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation-Male	65.80	58.40	2014/15
1.06ii	Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation-Female	64.50	61.30	2014/15

Ref	Indicator	Telford and Wrekin	England	Time Period
1.08i	Gap in the employment rate between those with a long-term health condition and the overall employment rate-Persons	12.00	8.60	2014/15
1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate-Persons	69.40	66.90	2014/15
1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate-Male	73.40	71.80	2014/15
1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate-Female	65.60	62.30	2014/15
1.08iii	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate-Persons	64.10	66.10	2014/15
1.08iii	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate-Male	69.30	72.60	2014/15
1.08iii	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate-Female	58.80	59.30	2014/15
1.09i Update	Sickness absence - the percentage of employees who had at least one day off in the previous week-Persons	3.20	2.44	2011 - 13
1.09ii Update	Sickness absence - the percent of working days lost due to sickness absence-Persons	1.72	1.52	2011 - 13
1.10	Killed and seriously injured (KSI) casualties on England's roads-Persons	21.57	39.26	2012 - 14
1.11 Update	Domestic abuse-Persons	17.78	20.42	2014/15
1.12i Update	Violent crime (including sexual violence) - hospital admissions for violence-Persons	31.27	47.49	2012/13 - 14/15
1.12ii	Violent crime (including sexual violence) - violence offences per 1,000 population-Persons	15.77	13.54	2014/15
1.12ii	Violent crime (including sexual violence) - rate of sexual offences per 1,000 population-Persons	2.24	1.40	2014/15
1.13i	Re-offending levels - percentage of offenders who re-offend-Persons	24.73	26.36	2013
1.13ii	Re-offending levels - average number of re-offences per offender-Persons	0.78	0.82	2013
1.14i	The rate of complaints about noise-Persons	4.87	7.37	2013/14
1.14ii	The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime-Persons	0.83	5.17	2011
1.14iii	The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time-Persons	2.02	8.01	2011
1.15i	Statutory homelessness - homelessness acceptances-Not applicable	1.15	2.40	2014/15
1.15ii	Statutory homelessness - households in temporary accommodation-Persons	0.91	2.85	2014/15
1.16 Update	Utilisation of outdoor space for exercise/health reasons-Persons	17.29	17.91	Mar 2014 - Feb 2015
1.17	Fuel poverty-Persons	10.82	10.39	2013
1.18i	Social Isolation: percentage of adult social care users who have as much social contact as they would like-Persons	43.20	44.80	2014/15
1.18ii	Social Isolation: percentage of adult carers who have as much social contact as they would like-Persons	34.50	38.50	2014/15

## Domain 2: Health Improvement

Ref	Indicator	Telford and Wrekin	England	Time Period
2.01	Low birth weight of term babies-Persons	2.47	2.86	2014
2.02i	Breastfeeding - breastfeeding initiation-Female	67.48	74.33	2014/15
2.02ii	Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth-Persons	41.06	43.82	2014/15
2.03	Smoking status at time of delivery-Female	21.18	11.38	2014/15
2.04 Update	Under 18 conceptions-Female	32.61	22.80	2014
2.04 Update	Under 18 conceptions: conceptions in those aged under 16-Female	5.90	4.38	2014
2.06i	Excess weight in 4-5 and 10-11 year olds - 4-5 year olds-Persons	23.50	21.89	2014/15
2.06ii	Excess weight in 4-5 and 10-11 year olds - 10-11 year olds-Persons	36.21	33.24	2014/15
2.07i Update	Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)-Persons	142.95	109.59	2014/15
2.07i Update	Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)-Persons	175.75	137.47	2014/15
2.07ii Update	Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)-Persons	118.00	131.71	2014/15
2.08 Update	Emotional wellbeing of looked after children-Persons	13.90	13.90	2014/15
2.09i	Smoking prevalence at age 15 - current smokers (WAY survey)-Persons	5.98	8.20	2014/15
2.09ii	Smoking prevalence at age 15 - regular smokers (WAY survey)-Persons	4.06	5.45	2014/15
2.09iii	Smoking prevalence at age 15 - occasional smokers (WAY survey)-Persons	1.92	2.74	2014/15
2.11i Update	Proportion of the population meeting the recommended '5-a-day' - Persons	48.60	52.30	2015
2.11ii Update	Average number of portions of fruit consumed daily-Persons	2.20	2.51	2015
2.11iii Update	Average number of portions of vegetables consumed daily-Persons	2.17	2.27	2015
2.12	Excess weight in Adults-Persons	71.92	64.59	2012 - 14
2.13i	Percentage of physically active and inactive adults - active adults-Persons	55.53	57.04	2014
2.13ii	Percentage of physically active and inactive adults - inactive adults-Persons	28.13	27.73	2014
2.14	Smoking prevalence-Persons	20.67	17.99	2014
2.14	Smoking prevalence - routine and manual-Persons	28.52	27.98	2014
2.15i	Successful completion of drug treatment - opiate users-Persons	8.17	7.38	2014
2.15ii	Successful completion of drug treatment - non-opiate users-Persons	40.43	39.19	2014
2.16	People entering prison with substance dependence issues who are previously not known to community treatment-Persons	42.20	46.87	2012/13

Ref	Indicator	Telford and Wrekin	England	Time Period
2.17	Recorded diabetes-Persons	6.62	6.37	2014/15
2.18 Update	Admission episodes for alcohol-related conditions - narrow definition-Persons	667.79	640.78	2014/15
2.18 Update	Admission episodes for alcohol-related conditions - narrow definition-Male	877.80	826.92	2014/15
2.18 Update	Admission episodes for alcohol-related conditions - narrow definition-Female	476.09	474.24	2014/15
2.19 Update	Cancer diagnosed at early stage (experimental statistics)-Persons	48.60	50.66	2014
2.20i	Cancer screening coverage - breast cancer-Female	78.60	75.40	2015
2.20ii	Cancer screening coverage - cervical cancer-Female	74.65	73.45	2015
2.20iii	Cancer screening coverage - bowel cancer-Persons	53.93	57.09	2015
2.21iv	Newborn bloodspot screening - coverage-Persons	97.01	95.83	2014/15
2.21v	Newborn hearing screening - coverage-Persons	99.49	98.49	2013/14
2.21vii	Access to non-cancer screening programmes - diabetic retinopathy-Persons	84.99	79.15	2012/13
2.21viii	Abdominal aortic aneurysm screening-Male	99.80	97.35	2014/15
2.22iii	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check-Persons	43.29	37.94	2013/14 - 14/15
2.22iv	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check-Persons	39.08	48.93	2013/14 - 14/15
2.22v	Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check-Persons	16.92	18.56	2013/14 - 14/15
2.23i	Self-reported wellbeing - people with a low satisfaction score-Persons	3.97	4.79	2014/15
2.23ii	Self-reported wellbeing - people with a low worthwhile score-Persons	-	3.82	2014/15
2.23iii	Self-reported wellbeing - people with a low happiness score-Persons	10.12	8.95	2014/15
2.23iv	Self-reported wellbeing - people with a high anxiety score-Persons	20.28	19.36	2014/15
2.24i	Injuries due to falls in people aged 65 and over-Persons	1402.00	2124.61	2014/15
2.24i	Injuries due to falls in people aged 65 and over-Male	1134.49	1739.76	2014/15
2.24i	Injuries due to falls in people aged 65 and over-Female	1669.51	2509.46	2014/15
2.24ii	Injuries due to falls in people aged 65 and over - aged 65-79-Persons	716.14	1011.97	2014/15
2.24ii	Injuries due to falls in people aged 65 and over - aged 65-79-Male	533.23	825.71	2014/15
2.24ii	Injuries due to falls in people aged 65 and over - aged 65-79-Female	899.06	1198.22	2014/15
2.24iii	Injuries due to falls in people aged 65 and over - aged 80+-Persons	3390.98	5351.28	2014/15
2.24iii	Injuries due to falls in people aged 65 and over - aged 80+-Male	2878.15	4390.51	2014/15

Ref	Indicator	Telford and Wrekin	England	Time Period
2.24iii	Injuries due to falls in people aged 65 and over - aged 80+-Female	3903.81	6312.04	2014/15

### Domain 3: Health Protection

Ref	Indicator	Telford and Wrekin	England	Time Period
3.01	Fraction of mortality attributable to particulate air pollution-Persons	4.63	5.33	2013
3.02	Chlamydia detection rate (15-24 year olds)-Persons	1948.58	2012.00	2014
3.02	Chlamydia detection rate (15-24 year olds)-Male	1196.93	1355.33	2014
3.02	Chlamydia detection rate (15-24 year olds)-Female	2754.18	2664.19	2014
3.03i	Population vaccination coverage - Hepatitis B (1 year old)-Persons	100.00	-	2014/15
3.03i	Population vaccination coverage - Hepatitis B (2 years old)-Persons	83.33	-	2014/15
3.03iii	Population vaccination coverage - Dtap / IPV / Hib (1 year old)-Persons	97.49	94.23	2014/15
3.03iii	Population vaccination coverage - Dtap / IPV / Hib (2 years old)-Persons	97.19	95.74	2014/15
3.03iv	Population vaccination coverage - MenC-Persons	97.22	93.89	2012/13
3.03v	Population vaccination coverage - PCV-Persons	96.89	93.88	2014/15
3.03vi	Population vaccination coverage - Hib / MenC booster (2 years old)-Persons	94.56	92.13	2014/15
3.03vi	Population vaccination coverage - Hib / Men C booster (5 years old)-Persons	95.33	92.39	2014/15
3.03vii	Population vaccination coverage - PCV booster-Persons	95.05	92.20	2014/15
3.03viii	Population vaccination coverage - MMR for one dose (2 years old)-Persons	95.50	92.29	2014/15
3.03ix	Population vaccination coverage - MMR for one dose (5 years old)-Persons	97.23	94.37	2014/15
3.03x	Population vaccination coverage - MMR for two doses (5 years old)-Persons	94.03	88.62	2014/15
3.03xii	Population vaccination coverage - HPV-Female	92.72	86.70	2013/14
3.03xiii	Population vaccination coverage - PPV-Persons	66.07	69.79	2014/15
3.03xiv	Population vaccination coverage - Flu (aged 65+)-Persons	73.06	72.74	2014/15
3.03xv	Population vaccination coverage - Flu (at risk individuals)-Persons	55.82	50.27	2014/15
3.04	HIV late diagnosis -Persons	43.75	42.23	2012 - 14
3.05i	Treatment completion for TB-Persons	-	84.79	2013
3.05ii	Incidence of TB-Persons	6.92	13.52	2012 - 14

Ref	Indicator	Telford and Wrekin	England	Time Period
3.06 Update	NHS organisations with a board approved sustainable development management plan-Not applicable	60.00	56.51	2014/15
3.07	Comprehensive, agreed inter-agency plans for responding to health protection incidents and emergencies-Not applicable	100.00	95.21	2014/15

#### Domain 4: Healthcare and Premature Mortality

Ref	Indicator	Telford and Wrekin	England	Time Period
4.01	Infant mortality-Persons	5.35	3.98	2011 - 13
4.02	Tooth decay in children aged 5-Persons	0.76	0.94	2011/12
4.03	Mortality rate from causes considered preventable-Persons	198.44	182.70	2012 - 14
4.03	Mortality rate from causes considered preventable-Male	250.04	230.09	2012 - 14
4.03	Mortality rate from causes considered preventable-Female	149.10	138.39	2012 - 14
4.04i	Under 75 mortality rate from all cardiovascular diseases-Persons	80.33	75.72	2012 - 14
4.04i	Under 75 mortality rate from all cardiovascular diseases-Male	112.91	106.21	2012 - 14
4.04i	Under 75 mortality rate from all cardiovascular diseases-Female	49.14	46.89	2012 - 14
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable-Persons	51.96	49.19	2012 - 14
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable-Male	77.19	74.14	2012 - 14
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable-Female	27.84	25.62	2012 - 14
4.05i	Under 75 mortality rate from cancer-Persons	159.40	141.51	2012 - 14
4.05i	Under 75 mortality rate from cancer-Male	179.03	157.67	2012 - 14
4.05i	Under 75 mortality rate from cancer-Female	141.16	126.60	2012 - 14
4.05ii	Under 75 mortality rate from cancer considered preventable-Persons	95.24	82.95	2012 - 14
4.05ii	Under 75 mortality rate from cancer considered preventable-Male	108.63	90.49	2012 - 14
4.05ii	Under 75 mortality rate from cancer considered preventable-Female	82.90	76.08	2012 - 14
4.06i	Under 75 mortality rate from liver disease-Persons	21.25	17.78	2012 - 14
4.06i	Under 75 mortality rate from liver disease-Male	25.80	23.39	2012 - 14
4.06i	Under 75 mortality rate from liver disease-Female	16.91	12.39	2012 - 14
4.06ii	Under 75 mortality rate from liver disease considered preventable-Persons	18.90	15.67	2012 - 14

Ref	Indicator	Telford and Wrekin	England	Time Period
4.06ii	Under 75 mortality rate from liver disease considered preventable-Male	24.38	21.00	2012 - 14
4.06ii	Under 75 mortality rate from liver disease considered preventable-Female	13.64	10.55	2012 - 14
4.07i	Under 75 mortality rate from respiratory disease-Persons	32.72	32.62	2012 - 14
4.07i	Under 75 mortality rate from respiratory disease-Male	34.10	38.25	2012 - 14
4.07i	Under 75 mortality rate from respiratory disease-Female	31.33	27.37	2012 - 14
4.07ii	Under 75 mortality rate from respiratory disease considered preventable-Persons	19.13	17.83	2012 - 14
4.07ii	Under 75 mortality rate from respiratory disease considered preventable-Male	19.25	20.14	2012 - 14
4.07ii	Under 75 mortality rate from respiratory disease considered preventable-Female	18.94	15.69	2012 - 14
4.08	Mortality from communicable diseases-Persons	62.76	63.16	2012 - 14
4.08	Mortality from communicable diseases-Male	78.65	73.98	2012 - 14
4.08	Mortality from communicable diseases-Female	57.17	56.44	2012 - 14
4.09	Excess under 75 mortality rate in adults with serious mental illness-Persons	528.40	351.80	2013/14
4.10	Suicide rate-Persons	10.41	8.94	2012 - 14
4.10	Suicide rate-Male	15.90	14.11	2012 - 14
4.10	Suicide rate-Female	-	4.03	2012 - 14
4.11	Emergency readmissions within 30 days of discharge from hospital-Persons	11.45	11.78	2011/12
4.11	Emergency readmissions within 30 days of discharge from hospital-Male	11.57	12.13	2011/12
4.11	Emergency readmissions within 30 days of discharge from hospital-Female	11.27	11.46	2011/12
4.12i	Preventable sight loss - age related macular degeneration (AMD)-Persons	125.04	118.80	2013/14
4.12ii	Preventable sight loss - glaucoma-Persons	21.86	12.86	2013/14
4.12iii	Preventable sight loss - diabetic eye disease-Persons	5.62	3.39	2013/14
4.12iv	Preventable sight loss - sight loss certifications-Persons	42.15	42.53	2013/14
4.13 Update	Health related quality of life for older people-Persons	0.70	0.73	2013/14
4.14i	Hip fractures in people aged 65 and over-Persons	548.02	571.34	2014/15
4.14i	Hip fractures in people aged 65 and over-Male	394.30	425.07	2014/15
4.14i	Hip fractures in people aged 65 and over-Female	701.73	717.62	2014/15
4.14ii	Hip fractures in people aged 65 and over - aged 65-79-Persons	250.61	239.18	2014/15

Ref	Indicator	Telford and Wrekin	England	Time Period
4.14ii	Hip fractures in people aged 65 and over - aged 65-79-Male	102.94	166.78	2014/15
4.14ii	Hip fractures in people aged 65 and over - aged 65-79-Female	398.27	311.57	2014/15
4.14iii	Hip fractures in people aged 65 and over - aged 80+-Persons	1410.50	1534.63	2014/15
4.14iii	Hip fractures in people aged 65 and over - aged 80+-Male	1239.25	1174.08	2014/15
4.14iii	Hip fractures in people aged 65 and over - aged 80+-Female	1581.76	1895.17	2014/15
4.15i	Excess winter deaths index (single year, all ages)-Persons	10.05	11.63	Aug 2013 - Jul 2014
4.15i	Excess winter deaths index (single year, all ages)-Male	23.83	9.98	Aug 2013 - Jul 2014
4.15i	Excess winter deaths index (single year, all ages)-Female	-2.45	13.21	Aug 2013 - Jul 2014
4.15ii	Excess winter deaths index (single year, age 85+)-Persons	10.69	15.85	Aug 2013 - Jul 2014
4.15ii	Excess winter deaths index (single year, age 85+)-Male	28.42	16.38	Aug 2013 - Jul 2014
4.15ii	Excess winter deaths index (single year, age 85+)-Female	0.60	15.53	Aug 2013 - Jul 2014
4.15iii	Excess winter deaths index (3 years, all ages)-Persons	15.80	15.65	Aug 2011 - Jul 2014
4.15iii	Excess winter deaths index (3 years, all ages)-Male	22.85	13.67	Aug 2011 - Jul 2014
4.15iii	Excess winter deaths index (3 years, all ages)-Female	9.39	17.52	Aug 2011 - Jul 2014
4.15iv	Excess winter deaths index (3 years, age 85+)-Persons	24.47	22.26	Aug 2011 - Jul 2014
4.15iv	Excess winter deaths index (3 years, age 85+)-Male	34.29	21.78	Aug 2011 - Jul 2014
4.15iv	Excess winter deaths index (3 years, age 85+)-Female	19.24	22.53	Aug 2011 - Jul 2014
4.16	Estimated diagnosis rate for people with dementia-Persons	-	52.50	2013/14

Source: [www.phoutcomes.info](http://www.phoutcomes.info)

Published by Public Health England May 2016