

PUBLIC HEALTH OUTCOMES FRAMEWORK (PHOF): Telford & Wrekin Update Report, August 2016

Introduction

The Public Health Outcomes Framework (PHOF) for England¹, was first published in January 2012 by Public Health England (PHE). The overarching vision of the PHOF is improving and protecting the nation's health and wellbeing, and improving the health of the poorest fastest. This vision is encompassed in the framework's two high level outcomes:

- **Outcome 1:** Increased healthy life expectancy
- **Outcome 2:** Reduced differences in life expectancy and healthy life expectancy between communities

The framework aims to deliver these outcomes through improvement across 71 public health indicators and a series of sub indicators grouped into five domains.

Purpose

PHE refresh and update the data the PHOF indicators at quarterly intervals in August, November, February and May. This report provides an updated overview and key headlines for Telford & Wrekin from the most recent PHOF, comprising updates released by PHE in August 2016.

Key Headlines for Telford & Wrekin (August 2016)

Summary tables of all the PHOF indicators are included in the Appendix 1.

New or updated indicators showing improvement

- The rate of **emergency hospital admissions for intentional self-harm** has seen a statistically significant decrease from 257.38 for 2013/14 to 206.94 for 2014/15 improving the RAG rating from red to amber.
- The proportion of **adults meeting the recommended '5-a-day' on a 'usual day'** has increased from 46.4% in 2014 to 48.6% in 2015 improving the RAG rating from red to amber.
- The **average number of portions of vegetables consumed daily by adults** is now similar to the England average at 2.2, a slight increase from 2.1 in 2014.
- The **percentage of females aged 16-64 in employment** has increased from 64.8% for 2013/14 to 66.2% for 2014/15, this indicator remains similar to the England average.
- **Smoking prevalence in adults** has fallen from 20.0% in 2014 to 18.2% in 2015, this indicator remains similar to the England average. This is encouraging in terms of the continued downward trend each year since 2012 when the rate was 21.9%.

New or updated indicators showing deterioration

- The **proportion of users with successful completion of alcohol treatment** fell to 30.6% in 2014, ranking it worse than the England average. However, more recent local data indicates an improvement in 2015.

¹ <https://www.gov.uk/government/publications/healthy-lives-healthy-people-improving-outcomes-and-supporting-transparency>

- The **percentage of males aged 16-64 in employment** fell from 79.1% in 2013/14 to 76.4% in 2014/15, this indicator remains similar to the England average.
- The **smoking prevalence in adults in routine and manual occupations estimate** increased from 27.3% to 32.0% in 2015, this indicator remains similar to the England average (26.5%).

New or updated indicators without previous RAG rating

- The proportion of **children aged 4-5 classified as overweight or obese** is rated amber for 2014/15 with a figure of 23.5%. There was no previous RAG rating for 2013/14 as the figures were suppressed for disclosure purposes.
- The proportion of **children aged 10-11 classified as overweight or obese** is rated red for 2014/15 with a figure of 33.2%. There was no previous RAG rating for 2013/14 as the figures were suppressed for disclosure purposes.

New and updated indicators with no RAG rating

The following indicators without polarity have seen a statistically significant decline:

- Population vaccination coverage – Flu (aged 65+) fell from 73.06% for 2014/15 to 71.12% for 2015/16 a statistically significant change.
- Population vaccination coverage – Flu (at risk individuals) fell from 55.82% for 2014/15 to 49.07% for 2015/16, a statistically significant change.
- Population vaccination coverage – Flu (2-4 years old) fell from 39.72% for 2014/15 to 30.91% for 2015.16 a statistically significant change.

New Indicators and sub-indicators

There have been a number of new sub-indicators included in the PHOF since the last update in May 2016:

- 1.08i – Percentage of people aged 16-64 in employment (persons, male and female)
- 1.13iii – First time offenders
- 1.15i – Statutory homeless – eligible homeless people not in priority need
- 2.08ii – Percentage of children where there is cause for concern
- 2.10ii – Emergency hospital admissions for intentional self harm (rated amber).
- 2.14 – Smoking prevalence in adults – current smokers (APS) [new source]
- 2.14 – Smoking prevalence in adult in routine and manual occupations – current smokers (APS [new source])
- 2.15iii – successful completion of alcohol treatment (rated red)
- 2.15iv – Deaths from drug misuse
- 2.20iv – Abdominal aortic aneurysm screening – coverage (rated green)
- 3.03xii – population vaccination coverage – HPV vaccination coverage for one dose (females 12-13 years old)
- 3.03xvii – population vaccination coverage – shingles vaccination coverage (70 years old)
- 3.03xviii – population vaccination coverage – Flu (2-4 years old)
- 4.02 – Proportion of five year old children free from dental decay (rated amber).
- 4.09ii – Proportion of adults in the population in contact with secondary mental health services.

Domain 0 – Overarching Determinants of Health

There are two primary indicators with a total of 12 sub-indicators in this domain with reported data. There were no new sub-indicators for this domain;

No indicators have been updated in the August 2016 release.

The Telford & Wrekin position is significantly worse than the England average for all eight sub-indicators that have been compared.

Better than average indicators:

Worse than average indicators:

- Healthy life expectancy at birth (male and female)
- Life expectancy at birth (male and female)
- Life expectancy at 65 (male and female)
- Gap in life expectancy at birth between each LA and England (male and female)

Domain 1 – Wider Determinants of Health

There are 17 primary indicators with a total of 51 sub-indicators with reported data in this domain. There have been five new sub-indicators:

- Percentage of people aged 16-64 in employment (persons, male and female)
- First time offenders
- Statutory homelessness – eligible homeless people not in priority need. This replaces the previous 'Statutory homelessness – homelessness acceptances – not applicable' indicator

Indicator 1.01 has also been renamed 'Children in low income families' from the previous 'children in poverty'.

A total of three sub-indicators have had data updates since the May 2016 release:

- Pupil absence
- 16-18 year olds not in education employment or training
- The rate of complaints about noise

The Telford & Wrekin position is significantly worse than the England average for five sub-indicators and significantly better for nine sub-indicators

Better than average indicators:

- School readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (persons/male/female, Free school meals persons/male/female)
- Killed and seriously injured (KSI) casualties on England's roads
- Hospital admissions for violence

- The rate of complaints about noise
- Households in temporary accommodation

Worse than average indicators:

- Children in low income families (under 20 and under 16)
- First time entrants to the youth justice system
- 16-18 year olds not in education employment or training
- Fuel poverty

Domain 2 – Health Improvement

There are 22 primary indicators with 56 sub-indicators with reported local data in this domain.

There have been six new indicators and ten amendments to indicator names, titles or sources since the May 2016 update.

- Percentage of children where there is cause for concern
- Emergency hospital admissions for intentional self-harm
- Proportion of the population meeting the recommended '5-a-day' at age 15
- Successful completion of alcohol treatment
- Deaths from drug misuse
- Abdominal Aortic Aneurysm Screening coverage

Indicator 2.14 Smoking prevalence has is a new data source (APS) replacing the previous data.

Indicator 2.06 has been renamed 'Child excess weight in 4-5 and 10—11 year olds' to include the word 'child'

Indicator 2.08i 'Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 31st March' has been renumbered from the previous 2.08 to allow for additional indicator 2.08ii 'percentage of children where there is cause for concern'.

Indicator 2.11i has been renamed 'proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)' to include the reference to 'usual day' and 'adults'.

Indicators 2.11ii and 2.11iii (average number of portions of fruit/vegetables eaten (adults)' have been renamed to include the word 'adults'

Indicator 2.20xi 'Newborn blood spot screening – coverage' has been renumbered, previously 2.21iv.

Indicator 2.20xii 'Newborn hearing screening – coverage' has been renumbered, previously 2.21v.

A total of five indicators have been updated since the last release:

- Percentage of physically active adults
- Percentage of physically inactive adults
- Cumulative percent of the eligible population aged 40-74 offered an NHS Health Check
- Cumulative percent of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check

- Cumulative percent of the eligible population aged 40-74 who received an NHS Health Check.

Overall, Telford & Wrekin is significantly better than the England average in 16 of the sub-indicators and significantly worse in 13.

Better than average indicators:

- Smoking prevalence at age 15 – current smokers
- Smoking prevalence at age 15 – regular smokers
- Cancer screening coverage – breast cancer
- Cancer screening coverage – cervical cancer
- Abdominal aortic aneurysm screening – coverage
- Newborn blood spot screening
- Newborn hearing screening
- Injuries due to falls in people aged 65 and over (persons/male/female, aged 65-79 persons/male/female, aged 80+ persons/male/female)

Worse than average indicators:

- Breastfeeding – breastfeeding initiation
- Smoking status at time of delivery
- Under 18 conceptions
- Child excess weight - 10-11 year olds
- Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years and aged 0-4 years)
- Average number of portions of fruit consumed daily (adults)
- Excess weight in adults
- Successful completion of alcohol treatment
- Cancer screening coverage – bowel cancer
- Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check
- Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check
- Cumulative percentage of the eligible population aged 40-74 who received an NHS Health Check

Domain 3 – Health Protection

There are six primary indicators with 25 sub-indicators that have reported local data in this domain.

There have been three new indicators since the May 2016 update.

- Population vaccination coverage – HPV vaccination coverage for one dose (females 12-13 years old) –Female
- Population vaccination coverage - Shingles vaccination coverage (70 years old)-Persons
- Population vaccination coverage - Flu (2-4 years old)-Persons

A total of five indicators have been updated since the previous release.

- Chlamydia detection rate (15-24 year olds) (persons, male and female)
- Population vaccination coverage – Flu (aged 65+ and at risk individuals)

The Telford & Wrekin position is significantly better than the England average for 11 of the sub-indicators and significantly worse for one.

Better than average indicators:

- Population vaccination coverage – Dtap/IPV/Hib (1 year old and 2 year old)
- Population vaccination coverage – MenC
- Population vaccination coverage – PCV
- Population vaccination coverage – Hib/MenC booster (2 years old and 5 years old)
- Population vaccination coverage - PCV booster
- Population vaccination coverage – MMR for one dose (2 years old and five years old)
- Incidence of TB

Worse than average indicators:

- Population vaccination coverage - PPV

Domain 4 – Healthcare and Premature Mortality

There are 16 primary indicators with a total of 63 sub-indicators with reported local data in this domain.

There have been two new indicators since the May 2016 updated.

- Proportion of five year old children free from dental decay. Replaces previous indicator 4.02 'Tooth decay in children aged 5'.
- Proportion of adults in the population in contact with secondary mental health services.

Indicator 4.08 'Mortality rate from a range of specified communicable diseases, including influenza' has had the definition updated and been renamed to include reference to 'specific and 'influenza'.

Indicator 4.09i 'excess under 75 mortality rate in adults with serious mental illness' has been renumbered to allow for the inclusion of a new 4.09ii indicator.

A total of five indicators have been updated since the last release.

- Infant mortality
- Preventable sight loss – age related macular degeneration (AMD)
- Preventable sight loss – glaucoma
- Preventable sight loss – diabetic eye disease
- Preventable sight loss – sight loss certifications


The Telford & Wrekin position is significantly worse than the England average for eight of the sub-indicators. There are no local indicators better than the national average.

Worse than average indicators:

- Infant mortality
- Mortality rate from causes considered preventable
- Under 75 mortality rate from cancer (persons and male)
- Under 75 mortality rate from cancer considered preventable (persons and male)
- Proportion of adults in the population in contact with secondary mental health services
- Health related quality of life for older people

Summary of benchmarked indicators

- **Domain 0: Overarching Determinants of Health** has the greatest proportion of indicators where the Telford & Wrekin position is worse than the England average, with 100% of benchmarked indicators rated red. *(total 8 indicators)*
- **Domain 4: Healthcare and Premature Mortality** is the area where the benchmarked Telford & Wrekin position is closest to the England average. This domain has the highest proportion of indicators that are statistically similar to the England average, with 87% of benchmarked indicators rated amber. *(total 62 indicators)*
- **Domain 3: Health Protection** is the area where Telford & Wrekin has the highest proportion of indicators rated better than the England average, with 79% of benchmarked indicators rated green. *(total 14 indicators)*



Appendix 1

Key to RAG rating

Telford & Wrekin position significantly worse than the England average or goal	Telford & Wrekin position similar to the England average or goal	Telford & Wrekin position significantly better than the England average or goal
--	--	---

The RAG rating in these tables uses the statistical significance as calculated and presented by Public Health England (PHE) in the PHOF release May 2016. Indicators without RAG ratings are those where PHE have not applied statistical comparisons.

Ref	Indicator	Telford and Wrekin	England	Time Period
0.1i	Healthy life expectancy at birth-Male	59.76	63.43	2012 - 14
0.1i	Healthy life expectancy at birth-Female	58.17	64.00	2012 - 14
0.1ii	Life expectancy at birth-Male	78.70	79.55	2012 - 14
0.1ii	Life expectancy at birth-Female	81.80	83.20	2012 - 14
0.1ii	Life expectancy at 65-Male	18.20	18.77	2012 - 14
0.1ii	Life expectancy at 65-Female	20.30	21.19	2012 - 14
0.2iii	Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area-Male	6.95	-	2012 - 14
0.2iii	Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area-Female	2.84	-	2012 - 14
0.2iv	Gap in life expectancy at birth between each local authority and England as a whole-Male	-0.85	0.00	2012 - 14
0.2iv	Gap in life expectancy at birth between each local authority and England as a whole-Female	-1.40	0.00	2012 - 14
0.2vi	SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas -Male	11.81	-	2009 - 13
0.2vi	SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas -Female	12.10	-	2009 - 13
Supporting Information	Deprivation score (IMD 2010)-Persons	23.63	21.69	2010
Supporting information	Deprivation score (IMD 2015)-Persons	24.85	21.78	2015
Supporting information	% population aged <18-Persons	23.02	21.34	2014
Supporting information	% population aged 65+-Persons	16.07	17.56	2014
Supporting information	% population from Black and Minority Ethnic (BME) groups-Persons	7.34	14.58	2011

Domain 1: Wider Determinants of Health

Ref	Indicator	Telford and Wrekin	England	Time Period
1.01i Renamed	Children in low income families (all dependent children under 20)-Persons	22.00	18.00	2013
1.01ii Renamed	Children in low income families (under 16s)-Persons	23.00	18.60	2013
1.02i	School Readiness: the percentage of children achieving a good level of development at the end of reception-Persons	66.61	66.26	2014/15
1.02i	School Readiness: the percentage of children achieving a good level of development at the end of reception-Male	58.28	58.63	2014/15
1.02i	School Readiness: the percentage of children achieving a good level of development at the end of reception-Female	74.91	74.28	2014/15
1.02i	School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception-Persons	52.04	51.20	2014/15
1.02i	School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception-Male	39.70	42.62	2014/15
1.02i	School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception-Female	64.77	60.33	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check-Persons	81.53	76.78	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check-Male	77.67	72.98	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check-Female	85.89	80.75	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check-Persons	71.43	64.67	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check-Male	64.68	59.51	2014/15
1.02ii	School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check-Female	78.87	70.06	2014/15
1.03 Update	Pupil absence-Persons	4.56	4.62	2014/15
1.04	First time entrants to the youth justice system-Persons	549.45	409.06	2014
1.05 Update	16-18 year olds not in education employment or training-Persons	7.91	4.18	2015
1.06i	Adults with a learning disability who live in stable and appropriate accommodation-Persons	53.75	73.32	2014/15
1.06i	Adults with a learning disability who live in stable and appropriate accommodation-Male	55.32	73.23	2014/15
1.06i	Adults with a learning disability who live in stable and appropriate accommodation-Female	51.52	73.11	2014/15
1.06ii	Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation-Persons	65.10	59.70	2014/15
1.06ii	Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation-Male	65.80	58.40	2014/15
1.06ii	Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation-Female	64.50	61.30	2014/15

Ref	Indicator	Telford and Wrekin	England	Time Period
1.08i	Gap in the employment rate between those with a long-term health condition and the overall employment rate-Persons	12.00	8.60	2014/15
1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate-Persons	69.40	66.90	2014/15
1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate-Male	73.40	71.80	2014/15
1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate-Female	65.60	62.30	2014/15
1.08iii	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate-Persons	64.10	66.10	2014/15
1.08iii	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate-Male	69.30	72.60	2014/15
1.08iii	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate-Female	58.80	59.30	2014/15
1.08iv New	Percentage of people aged 16-64 in employment-Persons	71.40	72.90	2014/15
1.08iv New	Percentage of people aged 16-64 in employment-Male	76.40	78.20	2014/15
1.08iv New	Percentage of people aged 16-64 in employment-Female	66.20	67.60	2014/15
1.09i	Sickness absence - the percentage of employees who had at least one day off in the previous week-Persons	3.20	2.44	2011 - 13
1.09ii	Sickness absence - the percent of working days lost due to sickness absence-Persons	1.72	1.52	2011 - 13
1.10	Killed and seriously injured (KSI) casualties on England's roads-Persons	21.57	39.26	2012 - 14
1.11	Domestic abuse-Persons	17.78	20.42	2014/15
1.12i	Violent crime (including sexual violence) - hospital admissions for violence-Persons	31.27	47.49	2012/13 - 14/15
1.12ii	Violent crime (including sexual violence) - violence offences per 1,000 population-Persons	15.77	13.54	2014/15
1.12ii	Violent crime (including sexual violence) - rate of sexual offences per 1,000 population-Persons	2.24	1.40	2014/15
1.13i	Re-offending levels - percentage of offenders who re-offend-Persons	24.73	26.36	2013
1.13ii	Re-offending levels - average number of re-offences per offender-Persons	0.78	0.82	2013
1.13iii New	First time offenders-Persons	248.66	262.58	2014
1.14i Update	The rate of complaints about noise-Persons	4.47	7.13	2014/15
1.14ii	The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime-Persons	0.83	5.17	2011
1.14iii	The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time-Persons	2.02	8.01	2011
1.15i New	Statutory homelessness - Eligible homeless people not in priority need-Persons	-	0.90	2014/15
1.15ii	Statutory homelessness - households in temporary accommodation-Persons	0.91	2.85	2014/15
1.16	Utilisation of outdoor space for exercise/health reasons-Persons	17.29	17.91	Mar 2014 - Feb 2015
1.17	Fuel poverty-Persons	10.82	10.39	2013

Ref	Indicator	Telford and Wrekin	England	Time Period
1.18i	Social Isolation: percentage of adult social care users who have as much social contact as they would like-Persons	43.20	44.80	2014/15
1.18ii	Social Isolation: percentage of adult carers who have as much social contact as they would like-Persons	34.50	38.50	2014/15

Domain 2: Health Improvement

Ref	Indicator	Telford and Wrekin	England	Time Period
2.01	Low birth weight of term babies-Persons	2.47	2.86	2014
2.02i	Breastfeeding - breastfeeding initiation-Female	67.48	74.33	2014/15
2.02ii	Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth-Persons	41.06	43.82	2014/15
2.03	Smoking status at time of delivery-Female	21.18	11.38	2014/15
2.04	Under 18 conceptions-Female	32.61	22.80	2014
2.04	Under 18 conceptions: conceptions in those aged under 16-Female	5.90	4.38	2014
2.06i Renamed	Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds-Persons	23.50	21.89	2014/15
2.06ii Renamed	Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds-Persons	36.21	33.24	2014/15
2.07i	Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)-Persons	142.95	109.59	2014/15
2.07i	Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)-Persons	175.75	137.47	2014/15
2.07ii	Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)-Persons	118.00	131.71	2014/15
2.08i Renumbered	Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 31st March -Persons	13.90	13.90	2014/15
2.08ii New	Percentage of children where there is a cause for concern-Persons	34.00	37.00	2014/15
2.09i	Smoking prevalence at age 15 - current smokers (WAY survey)-Persons	5.98	8.20	2014/15
2.09ii	Smoking prevalence at age 15 - regular smokers (WAY survey)-Persons	4.06	5.45	2014/15
2.09iii	Smoking prevalence at age 15 - occasional smokers (WAY survey)-Persons	1.92	2.74	2014/15
2.10ii New	Emergency Hospital Admissions for Intentional Self-Harm-Persons	206.94	191.43	2014/15
2.11i Renamed	Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)-Persons	48.60	52.30	2015
2.11ii Renamed	Average number of portions of fruit consumed daily (adults)-Persons	2.20	2.51	2015
2.11iii Renamed	Average number of portions of vegetables consumed daily (adults)-Persons	2.17	2.27	2015
2.11iv New	Proportion of the population meeting the recommended "5-a-day" at age 15 -Persons	49.70	52.40	2014/15
2.12	Excess weight in Adults-Persons	71.92	64.59	2012 - 14

Ref	Indicator	Telford and Wrekin	England	Time Period
2.13i Update	Percentage of physically active and inactive adults - active adults-Persons	53.80	57.05	2015
2.13ii Update	Percentage of physically active and inactive adults - inactive adults-Persons	28.47	28.65	2015
2.14 New source	Smoking Prevalence in adults - current smokers (APS)-Persons	18.21	16.93	2015
2.14 New source	Smoking Prevalence in adult in routine and manual occupations - current smokers (APS)-Persons	32.01	26.51	2015
2.15i	Successful completion of drug treatment - opiate users-Persons	8.17	7.38	2014
2.15ii	Successful completion of drug treatment - non-opiate users-Persons	40.43	39.19	2014
2.15iii New	Successful completion of alcohol treatment-Persons	30.60	38.75	2014
2.15iv New	Deaths from drug misuse-Persons	-	3.40	2012 - 14
2.16	People entering prison with substance dependence issues who are previously not known to community treatment-Persons	42.20	46.87	2012/13
2.17	Recorded diabetes-Persons	6.62	6.37	2014/15
2.18	Admission episodes for alcohol-related conditions - narrow definition-Persons	667.79	640.78	2014/15
2.18	Admission episodes for alcohol-related conditions - narrow definition-Male	877.80	826.92	2014/15
2.18	Admission episodes for alcohol-related conditions - narrow definition-Female	476.09	474.24	2014/15
2.19	Cancer diagnosed at early stage (experimental statistics)-Persons	48.60	50.66	2014
2.20i	Cancer screening coverage - breast cancer-Female	78.60	75.40	2015
2.20ii	Cancer screening coverage - cervical cancer-Female	74.65	73.45	2015
2.20iii	Cancer screening coverage - bowel cancer-Persons	53.93	57.09	2015
2.20iv New	Abdominal Aortic Aneurysm Screening - Coverage -Male	83.38	79.37	2014/15
2.20xi Renumbered	Newborn Blood Spot Screening – Coverage -Persons	97.01	95.83	2014/15
2.20xii Renumbered	Newborn Hearing Screening – Coverage -Persons	99.21	98.53	2014/15
2.22iii Update	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check-Persons	55.71	56.44	2013/14 - 15/16
2.22iv Update	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check-Persons	40.32	48.59	2013/14 - 15/16
2.22v Update	Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check-Persons	22.46	27.42	2013/14 - 15/16
2.23i	Self-reported wellbeing - people with a low satisfaction score-Persons	3.97	4.79	2014/15
2.23ii	Self-reported wellbeing - people with a low worthwhile score-Persons	-	3.82	2014/15
2.23iii	Self-reported wellbeing - people with a low happiness score-Persons	10.12	8.95	2014/15
2.23iv	Self-reported wellbeing - people with a high anxiety score-Persons	20.28	19.36	2014/15

Ref	Indicator	Telford and Wrekin	England	Time Period
2.24i	Injuries due to falls in people aged 65 and over-Persons	1402.00	2124.61	2014/15
2.24i	Injuries due to falls in people aged 65 and over-Male	1134.49	1739.76	2014/15
2.24i	Injuries due to falls in people aged 65 and over-Female	1669.51	2509.46	2014/15
2.24ii	Injuries due to falls in people aged 65 and over - aged 65-79-Persons	716.14	1011.97	2014/15
2.24ii	Injuries due to falls in people aged 65 and over - aged 65-79-Male	533.23	825.71	2014/15
2.24ii	Injuries due to falls in people aged 65 and over - aged 65-79-Female	899.06	1198.22	2014/15
2.24iii	Injuries due to falls in people aged 65 and over - aged 80+-Persons	3390.98	5351.28	2014/15
2.24iii	Injuries due to falls in people aged 65 and over - aged 80+-Male	2878.15	4390.51	2014/15
2.24iii	Injuries due to falls in people aged 65 and over - aged 80+-Female	3903.81	6312.04	2014/15

Domain 3: Health Protection

Ref	Indicator	Telford and Wrekin	England	Time Period
3.01	Fraction of mortality attributable to particulate air pollution-Persons	4.63	5.33	2013
3.02 Update	Chlamydia detection rate (15-24 year olds)-Persons	2013.00	1887.00	2015
3.02 Update	Chlamydia detection rate (15-24 year olds)-Male	1236.10	1276.00	2015
3.02 Update	Chlamydia detection rate (15-24 year olds)-Female	2845.80	2492.10	2015
3.03i	Population vaccination coverage - Hepatitis B (1 year old)-Persons	100.00	-	2014/15
3.03i	Population vaccination coverage - Hepatitis B (2 years old)-Persons	83.33	-	2014/15
3.03iii	Population vaccination coverage - Dtap / IPV / Hib (1 year old)-Persons	97.49	94.23	2014/15
3.03iii	Population vaccination coverage - Dtap / IPV / Hib (2 years old)-Persons	97.19	95.74	2014/15
3.03iv	Population vaccination coverage - MenC-Persons	97.22	93.89	2012/13
3.03v	Population vaccination coverage - PCV-Persons	96.89	93.88	2014/15
3.03vi	Population vaccination coverage - Hib / MenC booster (2 years old)-Persons	94.56	92.13	2014/15
3.03vi	Population vaccination coverage - Hib / Men C booster (5 years old)-Persons	95.33	92.39	2014/15
3.03vii	Population vaccination coverage - PCV booster-Persons	95.05	92.20	2014/15
3.03viii	Population vaccination coverage - MMR for one dose (2 years old)-Persons	95.50	92.29	2014/15
3.03ix	Population vaccination coverage - MMR for one dose (5 years old)-Persons	97.23	94.37	2014/15

Ref	Indicator	Telford and Wrekin	England	Time Period
3.03x	Population vaccination coverage - MMR for two doses (5 years old)-Persons	94.03	88.62	2014/15
3.03xii New	Population vaccination coverage – HPV vaccination coverage for one dose (females 12-13 years old) -Female	91.34	89.43	2014/15
3.03xiii	Population vaccination coverage - PPV-Persons	66.07	69.79	2014/15
3.03xiv Update	Population vaccination coverage - Flu (aged 65+)-Persons	71.12	70.99	2015/16
3.03xv Update	Population vaccination coverage - Flu (at risk individuals)-Persons	49.07	45.14	2015/16
3.03xvii New	Population vaccination coverage - Shingles vaccination coverage (70 years old)-Persons	58.66	59.05	2014/15
3.03xviii New	Population vaccination coverage - Flu (2-4 years old)-Persons	30.91	34.36	2015/16
3.04	HIV late diagnosis -Persons	43.75	42.23	2012 - 14
3.05i	Treatment completion for TB-Persons	-	84.79	2013
3.05ii	Incidence of TB-Persons	6.92	13.52	2012 - 14
3.06	NHS organisations with a board approved sustainable development management plan-Not applicable	60.00	56.51	2014/15

Domain 4: Healthcare and Premature Mortality

Ref	Indicator	Telford and Wrekin	England	Time Period
4.01 Update	Infant mortality-Persons	6.04	3.97	2012 - 14
4.02 New	Proportion of five year old children free from dental decay -Persons	77.02	75.20	2014/15
4.03	Mortality rate from causes considered preventable-Persons	198.44	182.70	2012 - 14
4.03	Mortality rate from causes considered preventable-Male	250.04	230.09	2012 - 14
4.03	Mortality rate from causes considered preventable-Female	149.10	138.39	2012 - 14
4.04i	Under 75 mortality rate from all cardiovascular diseases-Persons	80.33	75.72	2012 - 14
4.04i	Under 75 mortality rate from all cardiovascular diseases-Male	112.91	106.21	2012 - 14
4.04i	Under 75 mortality rate from all cardiovascular diseases-Female	49.14	46.89	2012 - 14
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable-Persons	51.96	49.19	2012 - 14
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable-Male	77.19	74.14	2012 - 14
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable-Female	27.84	25.62	2012 - 14
4.05i	Under 75 mortality rate from cancer-Persons	159.40	141.51	2012 - 14
4.05i	Under 75 mortality rate from cancer-Male	179.03	157.67	2012 - 14

Ref	Indicator	Telford and Wrekin	England	Time Period
4.05i	Under 75 mortality rate from cancer-Female	141.16	126.60	2012 - 14
4.05ii	Under 75 mortality rate from cancer considered preventable-Persons	95.24	82.95	2012 - 14
4.05ii	Under 75 mortality rate from cancer considered preventable-Male	108.63	90.49	2012 - 14
4.05ii	Under 75 mortality rate from cancer considered preventable-Female	82.90	76.08	2012 - 14
4.06i	Under 75 mortality rate from liver disease-Persons	21.25	17.78	2012 - 14
4.06i	Under 75 mortality rate from liver disease-Male	25.80	23.39	2012 - 14
4.06i	Under 75 mortality rate from liver disease-Female	16.91	12.39	2012 - 14
4.06ii	Under 75 mortality rate from liver disease considered preventable-Persons	18.90	15.67	2012 - 14
4.06ii	Under 75 mortality rate from liver disease considered preventable-Male	24.38	21.00	2012 - 14
4.06ii	Under 75 mortality rate from liver disease considered preventable-Female	13.64	10.55	2012 - 14
4.07i	Under 75 mortality rate from respiratory disease-Persons	32.72	32.62	2012 - 14
4.07i	Under 75 mortality rate from respiratory disease-Male	34.10	38.25	2012 - 14
4.07i	Under 75 mortality rate from respiratory disease-Female	31.33	27.37	2012 - 14
4.07ii	Under 75 mortality rate from respiratory disease considered preventable-Persons	19.13	17.83	2012 - 14
4.07ii	Under 75 mortality rate from respiratory disease considered preventable-Male	19.25	20.14	2012 - 14
4.07ii	Under 75 mortality rate from respiratory disease considered preventable-Female	18.94	15.69	2012 - 14
4.08 Renamed	Mortality rate from a range of specified communicable diseases, including influenza -Persons	8.54	10.16	2012 - 14
4.08 Renamed	Mortality rate from a range of specified communicable diseases, including influenza -Male	-	11.20	2012 - 14
4.08 Renamed	Mortality rate from a range of specified communicable diseases, including influenza -Female	-	9.30	2012 - 14
4.09i Renumbered	Excess under 75 mortality rate in adults with serious mental illness-Persons	528.40	351.80	2013/14
4.09ii New	Proportion of adults in the population in contact with secondary mental health services -Persons	5.82	5.27	2013/14
4.10	Suicide rate-Persons	11.63	9.99	2012 - 14
4.10	Suicide rate-Male	17.77	15.76	2012 - 14
4.10	Suicide rate-Female	-	4.50	2012 - 14
4.11	Emergency readmissions within 30 days of discharge from hospital-Persons	11.45	11.78	2011/12
4.11	Emergency readmissions within 30 days of discharge from hospital-Male	11.57	12.13	2011/12
4.11	Emergency readmissions within 30 days of discharge from hospital-Female	11.27	11.46	2011/12

Ref	Indicator	Telford and Wrekin	England	Time Period
4.12i Update	Preventable sight loss - age related macular degeneration (AMD)-Persons	135.86	118.08	2014/15
4.12ii Update	Preventable sight loss - glaucoma-Persons	15.63	12.82	2014/15
4.12iii Update	Preventable sight loss - diabetic eye disease-Persons	4.20	3.23	2014/15
4.12iv Update	Preventable sight loss - sight loss certifications-Persons	43.67	42.38	2014/15
4.13	Health related quality of life for older people-Persons	0.70	0.73	2013/14
4.14i	Hip fractures in people aged 65 and over-Persons	548.02	571.34	2014/15
4.14i	Hip fractures in people aged 65 and over-Male	394.30	425.07	2014/15
4.14i	Hip fractures in people aged 65 and over-Female	701.73	717.62	2014/15
4.14ii	Hip fractures in people aged 65 and over - aged 65-79-Persons	250.61	239.18	2014/15
4.14ii	Hip fractures in people aged 65 and over - aged 65-79-Male	102.94	166.78	2014/15
4.14ii	Hip fractures in people aged 65 and over - aged 65-79-Female	398.27	311.57	2014/15
4.14iii	Hip fractures in people aged 65 and over - aged 80+-Persons	1410.50	1534.63	2014/15
4.14iii	Hip fractures in people aged 65 and over - aged 80+-Male	1239.25	1174.08	2014/15
4.14iii	Hip fractures in people aged 65 and over - aged 80+-Female	1581.76	1895.17	2014/15
4.15i	Excess winter deaths index (single year, all ages)-Persons	10.05	11.63	Aug 2013 - Jul 2014
4.15i	Excess winter deaths index (single year, all ages)-Male	23.83	9.98	Aug 2013 - Jul 2014
4.15i	Excess winter deaths index (single year, all ages)-Female	-2.45	13.21	Aug 2013 - Jul 2014
4.15ii	Excess winter deaths index (single year, age 85+)-Persons	10.69	15.85	Aug 2013 - Jul 2014
4.15ii	Excess winter deaths index (single year, age 85+)-Male	28.42	16.38	Aug 2013 - Jul 2014
4.15ii	Excess winter deaths index (single year, age 85+)-Female	0.60	15.53	Aug 2013 - Jul 2014
4.15iii	Excess winter deaths index (3 years, all ages)-Persons	15.80	15.65	Aug 2011 - Jul 2014
4.15iii	Excess winter deaths index (3 years, all ages)-Male	22.85	13.67	Aug 2011 - Jul 2014
4.15iii	Excess winter deaths index (3 years, all ages)-Female	9.39	17.52	Aug 2011 - Jul 2014
4.15iv	Excess winter deaths index (3 years, age 85+)-Persons	24.47	22.26	Aug 2011 - Jul 2014
4.15iv	Excess winter deaths index (3 years, age 85+)-Male	34.29	21.78	Aug 2011 - Jul 2014
4.15iv	Excess winter deaths index (3 years, age 85+)-Female	19.24	22.53	Aug 2011 - Jul 2014
4.16	Estimated diagnosis rate for people with dementia-Persons	-	52.50	2013/14

Source: www.phoutcomes.info

Published by Public Health England August 2016