ST Classification: UNMARKED

Sample Date	Sample Time	Sample Point	Site Name	Sample Point Description	Reason Description	Method Description	Sample Type	Sampler's Comment	Collected From	Post Code	Determinan	Determinand Name	<>	Result	Units
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			0PB	TOLUENE	<	0.1	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			0PH	M&P XYLENE	<	0.2	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			0PJ	O-XYLENE	<	0.1	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			0QN	TOTAL XYLENES	<	0.2	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			0YV	BENZENE	<	0.1	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			1EA	Visual Quality (site test)		P	
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			1EM	Sampling Access (TE site test)		P	
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			1ES	VISIBLE OIL (TE FIELD/ SITE TEST)		P	
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			9MS	MASS SPEC		See Report	
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GED	Bentazone	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GF1	ETHYL BENZENE	<	0.1	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GFA	Bromoxynil	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GFF	Triazophos	<	0.002	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GFW	2;3;6 - TBA	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GFY	2;4 D	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GFZ	2;4 - DB	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GG3	2;4;5 - TCPA	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GG8	Mecoprop (total)	<	0.4	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GG9	Dicamba	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGA	MCPA	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGB	Dichlorprop	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGC	MCPB	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGD	Ioxynil	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGE	Clopyralid	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGQ	Phorate	<	0.004	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGS	Propetamphos	<	0.003	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGT	Pirimiphos Methyl	<	0.005	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGU	Phosalone	<	0.004	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGV	FENTHION	<	0.004	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGW	Dichlorvos	<	0.002	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGX	Mevinphos	<	0.02	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GGZ	Dimethoate	<	0.02	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GH0	Diazinon	<	0.003	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GH1	Parathion Methyl	<	0.003	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GH3	Fenitrothion	<	0.002	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GH4	Malathion	<	0.004	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GH5	Parathion Ethyl	<	0.003	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GH6	CHLORPYRIPHOS	<	0.002	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GH7	Chlorfenvinphos	<	0.002	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GH8	Carbophenothion	<	0.003	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GH9	Azinphos Methyl	<	0.002	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GHA	Azinphos Ethyl	<	0.004	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GKW	Benazolin	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GKX	Fenoprop	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GKY	Triclopyr	<	0.5	ug/l
07/05/2026	08:45:00	9980229	Telford & Wrekin Council (Stoney Hill)	leachate	TE Control Sample	Spot	Trade Effluent to Foul Sewer	VEOLIA STONEY HILL LANDFILL LEACHATE			GKZ	Fluroxypyr	<	0.5	ug/l