SOCOTEC

Environmental Chemistry

Certificate of Analysis

Client: Veolia ES (UK) Ltd

Project: 25121646

Quote: BEC250239616 V8.1

Project Ref: Scheduled Samples 12-2025

Site: Stoney Hill Ground Water 1

[redacted]

Address: 210 Pentonville Road
London
N1 9JY

[redacted]

No. Samples Received: 4

Date Received: 10/12/2025

Analysis Completed: 18/12/2025

Date Issued: 18/12/2025

Report Type: Version 01

This report supersedes any versions previously issued by the laboratory

[redacted]

Project Number: 25121646

Client: Veolia ES (UK) Ltd
Date Issued: 18/12/2025
Project Name: Scheduled Samples 12-2025 - Stoney Hill Ground Water 1

Samples Analysed

Text ID	Sample Reference	Sampling Date	Sample Type	Sample Description
25121646-001	M6	08/12/2025 11:00:00	WATER	Ground Water
25121646-002	M32	08/12/2025 11:17:00	WATER	Ground Water
25121646-003	M13	08/12/2025 11:32:00	WATER	Ground Water
25121646-004	M16	08/12/2025 11:46:00	WATER	Ground Water

Project Number: 25121646

Client: Veolia ES (UK) Ltd
Date Issued: 18/12/2025
Project Name: Scheduled Samples 12-2025 - Stoney Hill Ground Water 1

UKAS TESTING 1252

Analysis Results

Method Code	Analysis	MDL	Accred.	25121646-001	25121646-002	25121646-003	25121646-004
	SOCOTEC Sample ID:			25121646-001	25121646-002	25121646-003	25121646-004
	Sampling Date:			08/12/2025 11:00	08/12/2025 11:17	08/12/2025 11:32	08/12/2025 11:46
	Customer ID:			M6	M32	M13	M16
PHCONDW	pH	1 pH units	U	5.7	3.3	4.5	3.9
WSLM11	COD (Settled)	5 mg/l	U	<5	7	<5	56
KONENS	Ammoniacal Nitrogen as N	0.01 mg/l	U	0.70	1.30	1.00	0.70
PESTSW-OCP	1,2,3,4-Tetrachlorobenzene	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	1,2,3-Trichlorobenzene	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	1,3,5-Trichlorobenzene	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	2,6-Dichlorobenzonitrile	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Aldrin	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Alpha-HCH	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Beta-HCH	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Chlorthalonil	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	cis-Chlordane	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	cis-Permethrin	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Delta-HCH	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Dieldrin	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Endosulfan I	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Endosulfan II	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Endosulfan sulfate	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Endrin	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Endrin ketone	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Gamma-HCH	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Heptachlor	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Heptachlor epoxide	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Hexachlorobenzene	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Isodrin	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Methoxychlor	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	o,p'-DDD	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	o,p'-DDE	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	o,p'-DDT	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	p,p'-DDD	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	p,p'-DDE	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	p,p'-DDT	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Pendimethalin	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Pentachlorobenzene	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Propyzamide	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Tecnazene	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	trans-Chlordane	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	trans-Permethrin	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Triadimefon	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Triallate	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Trifluralin	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
PESTSW-OPP	Azinphos-ethyl	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Azinphos-methyl	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Carbofenthion	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Chlorpyrifos	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Chlorpyriphos-methyl	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Clorfenvinfos	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Diazinon	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Dichlorvos	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Dimethoate	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Ethion	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Etrimphos	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Fenitrothion	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Fenthion	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Malathion	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Methacrifos	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Mevinphos	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Parathion	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Parathion-methyl	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Phosalone	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Phosphamidon	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Pirimiphos-ethyl	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Pirimiphos-methyl	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Propetamphos	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
	Triazophos	0.01 µg/l	N	<0.01	<0.05 D	<0.01	<0.20 D
AHBLCMS	2,3,6-TBA	0.02 µg/l	U	<0.02	<0.02	<0.02	<0.02
	2,4,5-T	0.03 µg/l	U	<0.03	<0.03	<0.03	<0.03
	2,4-D	0.03 µg/l	U	<0.03	<0.03	<0.03	<0.03
	2,4-DB	0.04 µg/l	U	<0.04	<0.04	<0.04	<0.04
	2,4-Dinitrophenol	0.05 µg/l	U	<0.05* B	<0.05* B	<0.05* B	<0.05* B
	Benazolin	0.04 µg/l	U	<0.04	<0.04	<0.04	<0.04
	Bentazone	0.02 µg/l	U	<0.02	<0.02	<0.02	<0.02
	Bromoxynil	0.03 µg/l	U	<0.03	<0.03	<0.03	<0.03
	Clopyralid	0.02 µg/l	U	<0.02	<0.02	<0.02	<0.02
	Dicamba	0.04 µg/l	U	<0.04	<0.04	<0.04	<0.04
	Dichloroprop	0.02 µg/l	U	<0.02	<0.02	<0.02	<0.02
	DNOC	0.04 µg/l	U	<0.04* B	<0.04* B	<0.04* B	<0.04* B
	Fenoprop	0.02 µg/l	U	<0.02	<0.02	<0.02	<0.02
	Fluroxypyr	0.03 µg/l	U	<0.03	<0.03	<0.03	<0.03

Project Number: 25121646

Client: Veolia ES (UK) Ltd
Date Issued: 18/12/2025
Project Name: Scheduled Samples 12-2025 - Stoney Hill Ground Water 1

1252

Analysis Results

Method Code	Analysis	MDL	Accred.	SOCOTEC Sample ID: 25121646-001	25121646-002	25121646-003	25121646-004
			Sampling Date:	08/12/2025 11:00	08/12/2025 11:17	08/12/2025 11:32	08/12/2025 11:46
			Customer ID:	M6	M32	M13	M16
AHBLCMS	Ioxynil	0.04 µg/l	U	<0.04	<0.04	<0.04	<0.04
	MCPA	0.02 µg/l	U	<0.02	<0.02	<0.02	<0.02
	MCPB	0.02 µg/l	U	<0.02	<0.02	<0.02	<0.02
	Mecoprop	0.02 µg/l	U	<0.02	<0.02	<0.02	<0.02
	Pentachlorophenol	0.04 µg/l	U	<0.04	<0.04	<0.04	<0.04
	Triclopyr	0.03 µg/l	U	<0.03	<0.03	<0.03	<0.03

Project Number: 25121646

Client: Veolia ES (UK) Ltd
Date Issued: 18/12/2025
Project Name: Scheduled Samples 12-2025 - Stoney Hill Ground Water 1

Deviating Sample Report

Sample Reference	Text ID	Method Code	Incorrect Container	Incorrect Label	Headspace	Incorrect/No Preservative	No Sampling Date	Holding Time
M32	25121646-002	**PHCONDW**						✓
M13	25121646-003	**PHCONDW**						✓
M16	25121646-004	**PHCONDW**						✓

Analysis Method

Method Code	Method Description	Analysis Method
AHBLCMS	Acid Herbicides (Suite 1) by LC/MS/MS	Unfiltered
KONENS	Ammoniacal Nitrogen as N	Filtered
PESTSW-OCP	OCP: Organochlorine Pesticides by GCMS	Unfiltered
PESTSW-OPP	OPP: Organophosphorus Pesticides by GCMS	Unfiltered
PHCONDW	pH	Unfiltered
WSLM11	COD: Chemical Oxygen Demand (Settled)	Unfiltered

Result Report Notes

Letters alongside results signify that the result has associated report notes.
The report notes are as follows:

Letter	Note
A	Due to the matrix of the sample the laboratory has had to deviate from our standard protocols to be able to process the sample and provide a result. Where applicable the accreditation has been removed and this should be taken into consideration when utilising the data.
B	The QC associated with this result has not wholly met the QMS requirements, the accreditation has therefore been removed. However, the Laboratory has confidence in the performance of the method as a whole and that the integrity of the data has not been significantly compromised.
C	Due to matrix interference, the internal standard and/or surrogate has not met the QMS requirements. This should be taken into consideration when utilising the data.
D	A non-standard volume or mass has been used for this test which has resulted in a raised detection limit.
E	Due to the parameter value being beyond our calibration range (and following the maximum size of dilution allowed, where applicable), the result cannot be quantified and as such the result will appear as a greater than symbol (>) with the accreditation removed. This data should be used for indicative purposes only.
F	Based on the sample history, appearance and smell a dilution was applied prior to testing. Unfortunately, the result is either above (>) or below (<) our calibration range. Results above our calibration range have accreditation removed. The data should be used for indicative purposes only.
G	The day 5 oxygen reading was below the capability of the instrument to detect, and therefore the calculated BOD has been reported unaccredited for guidance purposes only.

Project Number: 25121646

Client: Veolia ES (UK) Ltd
Date Issued: 18/12/2025
Project Name: Scheduled Samples 12-2025 - Stoney Hill Ground Water 1

HWOL Acronym Key

Acronym	Description
HS	Headspace Analysis
EH	Extractable Hydrocarbons - i.e everything extracted by the solvent(s)
CU	Clean up - e.g. by florisil, silica gel
1D	GC - Single coil gas chromatography
Total	Aliphatics & Aromatics
AL	Aliphatics only
AR	Aromatics only
+	Operator to indicate cumulative e.g. EH_CU+HS_1D_Total

Additional Information

This report refers to samples as received. SOCOTEC UK Ltd takes no responsibility for accuracy or competence of sampling by others.

Results within this report relate only to the samples tested.

The accreditation codes are as follows:

U = UKAS accredited analysis
M = MCERT accredited analysis
N = Unaccredited analysis

Any accreditation marked with ^ signify results are reported on a dry weight basis of 105 ° C.

All Air Dried and Ground Samples (ADG) are oven dried at less than 35° C.

This report shall not be reproduced except in full, without written approval of the laboratory.

Opinions and interpretations given are outside the scope of our UKAS accreditation.

Any results marked with * are not covered by our scope of UKAS accreditation. If applicable, further report notes have been added.

Any solid samples where the Major Constituents are not one of the following (Sand, Silt, Clay, Made Ground) are not one of our accredited matrix types.

Any samples marked with a tick in the deviant table is deviant for the specific reason.

Any samples reported as IS, NA, ND mean the following:

IS = Insufficient Sample to complete analysis
NA = Sample is not amenable for the required analysis
ND = Results cannot be determined

Items listed with a 'SUB' method code prefix have been carried out by another SOCOTEC department or by an external subcontracted laboratory. Further information is available upon request.

Our deviating sample report does not include deviancy information for Subcontracted analysis. Please see the report from the subcontracted lab for information regarding any deviancies for this analysis.

Summaries of analysis methods are available upon request.

End of Certificate of Analysis